

Kpathsea library

for version 6.4.2/dev
January 2026

Karl Berry
Olaf Weber
Taco Hoekwater
<https://tug.org/kpathsea>

This file documents the Kpathsea library for path searching.

Copyright © 1996–2026 Karl Berry & Olaf Weber.

Permission is granted to make and distribute verbatim copies of this manual provided the copyright notice and this permission notice are preserved on all copies.

Permission is granted to copy and distribute modified versions of this manual under the conditions for verbatim copying, provided that the entire resulting derived work is distributed under the terms of a permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual into another language, under the above conditions for modified versions, except that this permission notice may be stated in a translation approved by the T_EX Users Group.

Table of Contents

1	Introduction	1
1.1	History	1
2	unixtex.ftp: Obtaining T<small>E</small>X	4
3	Security	5
3.1	Global font cache and security	5
4	T<small>E</small>X directory structure	7
5	Path searching	9
5.1	Searching overview	9
5.2	Path sources	10
5.2.1	Config files	10
5.3	Path expansion	12
5.3.1	Default expansion	12
5.3.2	Variable expansion	13
5.3.3	Tilde expansion	13
5.3.4	Brace expansion	14
5.3.5	KPSE_DOT expansion	14
5.3.6	Subdirectory expansion	14
5.4	Casefolding search	15
5.4.1	Casefolding rationale	15
5.4.2	Casefolding examples	15
5.5	Filename database (ls-R)	17
5.5.1	ls-R	17
5.5.2	Filename aliases	18
5.5.3	Database format	18
5.6	kpsewhich: Standalone path searching	19
5.6.1	kpsewhich examples	19
5.6.2	Path searching options	20
5.6.3	Specially-recognized files for kpsewhich	24
5.6.4	Auxiliary tasks	25
5.6.5	Standard options	26
6	T<small>E</small>X support	27
6.1	Supported file formats	27
6.2	File lookup	30
6.3	Glyph lookup	31
6.3.1	Basic glyph lookup	31
6.3.2	Fontmap	32

6.3.3 Fallback font	33
6.4 Suppressing warnings.....	33
6.5 <code>mktex</code> scripts.....	33
6.5.1 <code>mktex</code> configuration	34
6.5.2 <code>mktex</code> script names.....	36
6.5.3 <code>mktex</code> script arguments.....	36
7 Programming	37
7.1 Programming overview	37
7.2 Calling sequence.....	37
7.3 Safe filenames	39
7.4 Program-specific files	40
7.5 Programming with config files	40
8 Reporting bugs	42
8.1 Bug checklist.....	42
8.2 Mailing lists.....	43
8.3 Debugging	43
8.4 Logging	45
8.5 Common problems	45
8.5.1 Unable to find files	45
8.5.2 Slow path searching	46
8.5.3 Unable to generate fonts.....	47
8.5.4 <code>TeX</code> or Metafont failing.....	47
Index.....	49

1 Introduction

This manual corresponds to version 6.4.2/dev of the Kpathsea library, released in January 2026.

The library's fundamental purpose is to return a filename from a list of directories specified by the user, similar to what shells do when looking up program names to execute.

The following software, all of which is maintained in parallel, uses this library:

- `Dvilk` (see the '`dvilk`' man page)
- `Dvipsk` (see *Dvips: A DVI driver*)
- GNU font utilities (see *GNU font utilities*)
- `Web2c` (see *Web2c: A \TeX implementation*)
- `Xdvik` (see the '`xdvik`' man page)

Other software that we do not maintain also uses it.

Kpathsea is now maintained as part of the \TeX Live distribution (<https://tug.org/texlive>), which includes several more Kpathsea-using programs. For information on configuration, building, installing, and more, see *Building \TeX Live*.

The library is still actively maintained. If you have comments or suggestions, please send along (see Chapter 8 [Reporting bugs], page 42).

The Kpathsea library is distributed under the GNU Library General Public License (LGPL), version 2.1 or (at your option) any later version. In short, this means if you write a program using the library, you must (offer to) distribute the source to the library, along with any changes you have made, and allow anyone to modify the library source and distribute their modifications. It does not mean you have to distribute the source to your program using the library, although we hope you will. See accompanying files for the text of the GNU licenses, or <https://gnu.org/licenses>.

If you know enough about \TeX to be reading this manual, then you (or your institution) should consider joining the \TeX Users Group (if you're already a member, thanks!). TUG produces the periodical *TUGboat*, sponsors an annual meeting and publishes the proceedings, and arranges courses on \TeX for all levels of users throughout the world. See <https://tug.org> for information.

1.1 History

This section is for those people who are curious about how the library came about. If you like to read historical accounts of software, we urge you to seek out the GNU Autoconf manual and the "Errors of \TeX " paper by Don Knuth, published in his book *Digital Typography*, among other places.

[Karl writes.] My first ChangeLog entry for Web2c seems to be February 1990, but I may have done some work before then. In any case, Tim Morgan and I were jointly maintaining it for a time. (I should mention here that Tim had made Web2c into a real distribution long before I had ever used it or even heard of it, and Tom Rokicki did the original implementation. When I started, I was using `pxp` and `pc` on VAX 11/750's and the hot new Sun 2 machines.)

It must have been later in 1990 and 1991 that I started working on *T_EX for the Impatient*. Dvips, Xdvi, Web2c, and the GNU fontutils (which I was also writing at the time) all used different environment variables, and, more importantly, had different bugs in their path searching. This became extremely painful, as I was stressing everything to the limit working on the book. I also desperately wanted to implement subdirectory searching, since I couldn't stand putting everything in one big directory, and also couldn't stand having to explicitly specify `cm`, `pandora`, ... in a path.

In the first incarnation, I just hacked separately on each program—that was the original subdirectory searching code in both Xdvi and Dvips. That is, I tried to go with the flow in each program, rather than changing the program's calling sequences to conform to new routines.

Then, as bugs inevitably appeared, I found I was fixing the same thing three times (Web2c and fontutils were already sharing code, since I maintained both of those—there was no Dvipsk or Xdvik or Dvilkj at this point). After a while, I finally started sharing source files. They weren't yet a library, though. I just kept things up to date with shell scripts. (I was developing on a 386 running ISC 2.2 at the time, and so didn't have symbolic links. An awful experience.)

The ChangeLogs for Xdvik and Dvipsk record initial releases of those distributions in May and June 1992. I think it was because I was tired of the different configuration strategies of each program, not so much because of the path searching. Autoconf was being developed by David MacKenzie and others, and I was adapting it to *T_EX* and friends.

I started to make a separate library that other programs could link with on my birthday in April 1993, according to the ChangeLog. I don't remember exactly why I finally took the time to make it a separate library; a conversation with david zuhn initiated it. Just seemed like it was time.

Dvilkj got started in March 1994 after I bought a Laserjet 4. (Kpathsea work got suspended while Norm Walsh and I, with Gustaf Neumann's help, implemented a way for *T_EX* to get at all those neat builtin LJ4 fonts ... such a treat to have something to typeset in besides Palatino!)

By spring of 1995, I had implemented just about all the path-searching features in Kpathsea that I plan to, driven beyond my initial goals by Thomas Esser and others. I then started to integrate Web2c with Kpathsea. After the release of a stable Web2c, I hope to be able to stop development, and turn most of my attention back to making fonts for GNU. (Always assuming Micros**t hasn't completely obliterated Unix by then, or that software patents haven't stopped software development by anybody smaller than a company with a million-dollar-a-year legal budget. Which is actually what I think is likely to happen, but that's another story...)

[Olaf writes.] At the end of 1997, Unix is still alive and kicking, individuals still develop software, and Web2c development still continues. Karl had been looking for some time for someone to take up part of the burden, and I volunteered.

[Karl writes again.] Indeed, time goes on. As of 2006 or so, Olaf's available time for Kpathsea was reduced, and I started taking overall care of it again, although I did not do any significant new development. In 2009, Taco Hoekwater implemented a major rearrangement to make the library suitable for use within the MetaPost library (see Section 7.1 [Programming overview], page 37). Also, for some years now, Peter Breitenlohner has made

many improvements to the infrastructure and kept it up-to-date with respect to the overall TeX Live build, where Kpathsea is now maintained.

2 `unixtex.ftp`: Obtaining \TeX

This chapter is <ftp://tug.org/tex/unixtex.ftp>, a.k.a. <https://tug.org/unixtex.ftp>, last updated 29 February 2020. Email `tex-k@tug.org` with comments or questions.

The principal free \TeX distribution for Unix-like systems is \TeX Live, on the web at <http://tug.org/texlive>. The pages there describe many ways to acquire and/or build \TeX , over the Internet or on physical media, both the sources and precompiled binaries for many systems, either standalone or as part of various operating system distributions.

Web2c, Kpathsea, Dvips, and Dviljk, among others, are no longer released as a separate packages. Their sources are now maintained as part of \TeX Live.

The host `ftp.cs.stanford.edu` is the original source for the files for which Donald Knuth is directly responsible: `tex.web`, `plain.tex`, etc. However, unless you want to undertake the project of building your \TeX system from scratch, it is more reliable and less work to retrieve these files as part of a larger package.

In any case, the Stanford ftp site is not the canonical source for anything except what was created as part of Knuth's original \TeX , so do not rely on any other files available there being up-to-date. The best place to check for up-to-date files is CTAN (the Comprehensive \TeX Archive Network), <https://ctan.org>.

3 Security

None of the programs in the \TeX system require any special system privileges, so there's no first-level security concern of people gaining illegitimate root access.

Thus, the general goal of our security measures is to make an untrusted \TeX document safe to execute, in the sense of no document being able to change the system or user configuration, or transmit information to an attacker. Here are some of the steps that have been taken to make the \TeX system safe in this regard:

- A \TeX document can write to arbitrary files via `\openout`, e.g., `~/.profile`, and thus an unwitting user who runs \TeX on an untrusted document is vulnerable to a trojan horse attack. This loophole is closed by default, but you can be permissive if you so desire in `texmf.cnf`; see the variable `openout_any`. See Section “tex invocation” in *Web2c*. MetaPost has the same issue (Metafont cannot write arbitrary files).
- Dvips, Xdvi, \TeX , and others can execute shell commands. By default, only a handful of commands that are believed to be safe, to the best of our ability to check, are allowed. For the list, see the `shell_escape_commands` variable in `texmf.cnf` (see Section “Shell escapes” in *Web2c*). For more information, e.g., to disable this completely, see the ‘-R’ option in Section “Option details” in *Dvips*, the *xdvi* man page, and Section “tex invocation” in *Web2c*, respectively.
- Lua \TeX is a special case. Since Lua is a general-purpose programming language, it has all the usual functionality for writing files, executing shell commands, opening network connections, and plenty more. When Lua \TeX is used in its so-called “kpse” mode, as with Lua \TeX , we have nevertheless done our best to also make it safe to execute by default, by disabling or restricting the various problematic Lua features. See Section 7.3 [Safe filenames], page 39, for a bit more about this. (When Lua \TeX is run in non-kpse mode, as with Con \TeX t MkIV, everything is allowed; thus, untrusted documents should not be processed.)
- There are some well-known ways to crash \TeX , using arithmetic overflow, which Knuth deliberately left unchecked, and other nefarious constructs; some are listed at <https://tug.org/texmfbug/nobug.html>. While disturbing, \TeX has no special system access and so these crashes don't present a security risk.
- One more issue is the desire for a globally writable font cache directory; see the section below for this (Section 3.1 [Global font cache and security], page 5).

3.1 Global font cache and security

It's useful to make arbitrary fonts on user demand with `mktexpk` and friends. Where do these files get installed? By default, the `mktexpk` distributed with Kpathsea assumes a world-writable `/var/tmp` directory; this is a simple and convenient approach, but it does not suit all situations, because it means that a local cache of fonts is created on every user's system.

To avoid this duplication, many people consider a shared, globally writable font tree desirable, in spite of the potential security problems. To do this you should change the value of `VARTEXFONTS` in `texmf.cnf` to refer to some globally known directory. See Section 6.5.1 [mktex configuration], page 34.

The first restriction you can apply is to make newly-created directories under `texmf` be append-only with an option in `mktex.cnf`. See Section 6.5.1 [mktex configuration], page 34.

Another approach is to establish a group (or user) for TeX files, make the `texmf` tree writable only to that group (or user), and make `mktexpk` et al. setgid to that group (or setuid to that user). Then users must invoke the scripts to install things. (If you're worried about the likelihood of security holes in scripts, you could write a C wrapper to exec the script.)

The `mktex...` scripts install files with the same read and write permissions as the directory they are installed in. The executable, sgid, suid, and sticky bits are always cleared.

Any directories created by the `mktex...` scripts have the same permissions as their parent directory, unless the `appendonlydir` feature is used, in which case the sticky bit is always set.

Nowadays, with bitmap files rarely used, and with individual systems being so much more powerful, this is less of an issue than in the past. But the question still comes up occasionally.

4 \TeX directory structure

This section describes the default installation hierarchy of the distribution. It conforms to both the GNU coding standards and the \TeX directory structure (TDS) standard. For rationale and further explanation, please see those documents. The GNU document is available from <https://gnu.org/prep/standards>. The TDS document is available from <https://ctan.org/pkg/tds> (see Chapter 2 [unixtex.ftp], page 4).

In short, here is a skeleton of the default directory structure, extracted from the TDS document:

<i>prefix/</i>	installation root (<code>/usr/local</code> by default)
<i>bin/</i>	executables
<i>man/</i>	man pages
<i>include/</i>	C header files
<i>info/</i>	GNU info files
<i>lib/</i>	libraries (<code>libkpathsea.*</code>)
<i>share/</i>	architecture-independent files
<i>texmf/</i>	TDS root
<i>bibtex/</i>	Bib \TeX input files
<i>bib/</i>	Bib \TeX databases
<i>base/</i>	base distribution (e.g., <code>'xampl.bib'</code>)
<i>misc/</i>	single-file databases
<i>pkg/</i>	name of a package
<i>bst/</i>	Bib \TeX style files
<i>base/</i>	base distribution (e.g., <code>'plain.bst'</code> , <code>'acm.bst'</code>)
<i>misc/</i>	single-file styles
<i>pkg/</i>	name of a package
<i>doc/</i>	additional documentation
<i>dvips/</i>	<code>'.pro'</code> , <code>'.ps'</code> , <code>'psfonts.map'</code>
<i>fonts/</i>	font-related files
<i>type/</i>	file type (e.g., <code>'tfm'</code> , <code>'pk'</code>)
<i>mode/</i>	type of output device (types <code>'pk'</code> and <code>'gf'</code> only)
<i>supplier/</i>	name of a font supplier (e.g., <code>'public'</code>)
<i>typeface/</i>	name of a typeface (e.g., <code>'cm'</code>)
<i>dpiinn/</i>	font resolution (types <code>'pk'</code> and <code>'gf'</code> only)
<i>metafont/</i>	Metafont (non-font) input files
<i>base/</i>	base distribution (e.g., <code>'plain.mf'</code>)
<i>misc/</i>	single-file packages (e.g., <code>'modes.mf'</code>)
<i>pkg/</i>	name of a package (e.g., <code>'mfpic'</code>)
<i>metapost/</i>	MetaPost input files
<i>base/</i>	base distribution (e.g., <code>'plain.mp'</code>)
<i>misc/</i>	single-file packages
<i>pkg/</i>	name of a package
<i>support/</i>	support files for MetaPost-related utilities (e.g., <code>'trfonts.map'</code>)
<i>mft/</i>	'MFT' inputs (e.g., <code>'plain.mft'</code>)
<i>tex/</i>	\TeX input files
<i>format/</i>	name of a format (e.g., <code>'plain'</code>)

base/	base distribution for <i>format</i> (e.g., ‘ <code>plain.tex</code> ’)
misc/	single-file packages (e.g., ‘ <code>webmac.tex</code> ’)
local/	local additions to or local configuration files for <i>format</i>
pkg/	name of a package (e.g., ‘ <code>graphics</code> ’, ‘ <code>mfns</code> ’)
generic/	format-independent packages
hyphen/	hyphenation patterns (e.g., ‘ <code>hyphen.tex</code> ’)
images/	image input files (e.g., Encapsulated PostScript)
misc/	single-file format-independent packages (e.g., ‘ <code>null.tex</code> ’).
pkg/	name of a package (e.g., ‘ <code>babel</code> ’)
web2c/	implementation-dependent files (‘ <code>.pool</code> ’, ‘ <code>.fmt</code> ’, ‘ <code>texmf.cnf</code> ’, etc.)

Some concrete examples for most file types:

```
/usr/local/bin/tex
/usr/local/man/man1/xdvi.1
/usr/local/info/kpathsea.info
/usr/local/lib/libkpathsea.a
/usr/local/share/texmf/bibtex/bst/base/plain.bst
/usr/local/share/texmf/fonts/pk/ljfour/public/cm/cmr10.600pk
/usr/local/share/texmf/fonts/source/public/pandora/pnr10.mf
/usr/local/share/texmf/fonts/tfm/public/cm/cmr10.tfm
/usr/local/share/texmf/fonts/type1/adobe/utopia/putr.pfa
/usr/local/share/texmf/metafont/base/plain.mf
/usr/local/share/texmf/metapost/base/plain.mp
/usr/local/share/texmf/tex/plain/base/plain.tex
/usr/local/share/texmf/tex/generic/hyphen/hyphen.tex
/usr/local/share/texmf/web2c/tex.pool
/usr/local/share/texmf/web2c/tex(fmt
/usr/local/share/texmf/web2c/texmf.cnf
```

5 Path searching

This chapter describes the generic path searching mechanism Kpathsea provides. For information about searching for particular file types (e.g., `TeX` fonts), see the next chapter.

This section, with minor differences, has been translated into several other languages (Chinese, Spanish, Russian, Japanese, French, German, ...) as part of the `TeX` Live guide; see <https://tug.org/texlive/doc.html> for links.

5.1 Searching overview

A *search path* is a colon-separated list of *path elements*, which are directory names with a few extra frills. A search path can come from (a combination of) many sources; see below. To look up a file ‘`foo`’ along a path ‘`./:dir`’, Kpathsea checks each element of the path in turn: first `./foo`, then `/dir/foo`, returning the first match (or possibly all matches).

The “colon” and “slash” mentioned here aren’t necessarily ‘`:`’ and ‘`/`’ on non-Unix systems. Kpathsea tries to adapt to other operating systems’ conventions.

To check a particular path element `e`, Kpathsea first sees if a prebuilt database (see Section 5.5 [Filename database], page 17) applies to `e`, i.e., if the database is in a directory that is a prefix of `e`. If so, the path specification is matched against the contents of the database.

If the database does not exist, or does not apply to this path element, or contains no matches, the filesystem is searched (if this was not forbidden by the specification with ‘`!!`’ and if the file being searched for must exist). Kpathsea constructs the list of directories that correspond to this path element, and then checks in each for the file being searched for. (To help speed future lookups of files in the same directory, the directory in which a file is found is floated to the top of the directory list.)

The “file must exist” condition comes into play with VF files and input files read by the `TeX` ‘`\openin`’ command. These files might very well not exist (consider `cmr10.vf`), and so it would be wrong to search the disk for them. Therefore, if you fail to update `ls-R` when you install a new VF file, it will not be found.

Each path element is checked in turn: first the database, then the disk. If a match is found, the search stops and the result is returned (unless the search explicitly requested all matches). This avoids possibly-expensive processing of path specifications that are never needed on a particular run.

On Unix-like systems, if no match is found by any of the above, and the path element allows checking the filesystem (per the above), a final check is made for a case-insensitive match. Thus, looking for a name like ‘`./Foobar.TeX`’ will match a file ‘`./foobar.tex`’, and vice versa. This is not done on Windows. See Section 5.4 [Casing search], page 15.

Although the simplest and most common path element is a directory name, Kpathsea supports additional features in search paths: layered default values, environment variable names, config file values, users’ home directories, and recursive subdirectory searching. Thus, we say that Kpathsea *expands* a path element, meaning transforming all the magic specifications into the basic directory name or names. This process is described in the sections below. It happens in the same order as the sections.

Exception to all of the above: If the filename being searched for is absolute or explicitly relative, i.e., starts with ‘/’ or ‘./’ or ‘../’, Kpathsea simply checks if that file exists, with a fallback to a casefolding match if needed and enabled, as described above.

Ordinarily, if Kpathsea tries to access a file or directory that cannot be read, it gives a warning. This is so you will be alerted to directories or files that accidentally lack any read permission (for example, a `lost+found` directory). If you prefer not to see these warnings, include the value ‘`readable`’ in the `TEX_HUSH` environment variable or config file value.

This generic path searching algorithm is implemented in `kpathsea/pathsearch.c`. It is employed by a higher-level algorithm when searching for a file of a particular type (see Section 6.2 [File lookup], page 30, and Section 6.3 [Glyph lookup], page 31).

5.2 Path sources

A search path or other configuration value can come from many sources. In the order in which Kpathsea looks for them:

1. A command-line option such as `--cnf-line`, available in `kpsewhich` and most TeX engines. See Section 5.6.2 [Path searching options], page 20.
2. A user-set environment variable, e.g., `TEXINPUTS`. Environment variables with an underscore and the program name appended override; for example, `TEXINPUTS_latex` overrides `TEXINPUTS` if the program being run is named ‘`latex`’.
3. A program-specific configuration file, e.g., an ‘`S /a:/b`’ line in `Dvips`’ `config.ps` (see Section “Config files” in `Dvips`).
4. A line in a Kpathsea configuration file `texmf.cnf`, e.g., ‘`TEXINPUTS=/c:/d`’ (see below).
4. The compile-time default (specified in `kpathsea/paths.h`).

You can see each of these values for a given search path by using the debugging options (see Section 8.3 [Debugging], page 43).

These sources may be combined via default expansion (see Section 5.3.1 [Default expansion], page 12).

5.2.1 Config files

As mentioned above, Kpathsea reads *runtime configuration files* named `texmf.cnf` for search path and other definitions. The search path used to look for these configuration files is named `TEXMFCNF`, and is constructed in the usual way, as described above, except that configuration files cannot be used to define the path, naturally; also, an `ls-R` database is not used to search for them.

Kpathsea reads *all* `texmf.cnf` files in the search path, not just the first one found; definitions in earlier files override those in later files. Thus, if the search path is ‘`..:$TEXMF`’, values from `./texmf.cnf` override those from `$TEXMF/texmf.cnf`.

If Kpathsea cannot find any `texmf.cnf` file, it reports a warning including all the directories it checked. If you don’t want to see this warning, set the environment variable `KPATHSEA_WARNING` to the single character ‘0’ (zero, not oh).

While (or instead of) reading this description, you may find it helpful to look at the distributed `texmf.cnf`, which uses or at least mentions most features. The format of `texmf.cnf` files follows:

- Comments start with ‘%’ or ‘#’, either at the beginning of a line or preceded by white-space, and continue to the end of the line. That is, similar to most shells, a comment character in the “middle” of a value does not start a comment. Examples:

```
% this is a comment
var = a%b % but the value of var will be "a%b"
```

- Blank lines are ignored.
- A ‘\’ at the end of a line acts as a continuation character, i.e., the next line is appended. Whitespace at the beginning of continuation lines is not ignored.
- Each remaining line will look like:

```
variable [. progname] [=] value
```

where the ‘=’ and surrounding whitespace is optional.

- The *variable* name may contain any character other than whitespace, ‘=’, or ‘.’, but sticking to ‘A-Za-z_’ is safest.
- If ‘.progname’ is present (preceding spaces are ignored), the definition only applies if the program that is running is named (i.e., the last component of `argv[0]` is) *progname* or *progname.{exe,bat,cmd,...}*. Most notably, this allows different flavors of TeX to have different search paths. The *progname* value is used literally, without variable or other expansions.
- Considered as strings, *value* may contain any character. However, in practice most `texmf.cnf` values are related to path expansion, and since various special characters are used in expansion, such as braces and commas, they cannot be used in directory names.

The ‘\$var.prog’ feature is not available on the right-hand side; instead, you must use an additional variable (see below for example).

A ‘;’ in *value* is translated to ‘:’ if running under Unix, in order to have a single `texmf.cnf` that can support both Unix and Windows systems. This translation happens with any value, not just search paths, but fortunately in practice ‘;’ is not needed in other values.

- All definitions are read before anything is expanded, so you can use variables before they are defined (like Make, unlike most other programs).

Here is a configuration file fragment illustrating most of these points:

```
% TeX input files -- i.e., anything to be found by \input or \openin ...
latex209_inputs = .:$TEXMF/tex/latex209//:$TEXMF/tex//%
latex2e_inputs = .:$TEXMF/tex/latex//:$TEXMF/tex//%
TEXINPUTS = .:$TEXMF/tex//%
TEXINPUTS.latex209 = $latex209_inputs
TEXINPUTS.latex2e = $latex2e_inputs
TEXINPUTS.latex = $latex2e_inputs
```

The combination of spaces being ignored before the `.` of a program name qualifer and the optional ‘=’ for the assignment has an unexpected consequence: if the value begins with a literal ‘.’ and the ‘=’ is omitted, the intended value is interpreted as a program name. For example, a line `var .;/some/path` is taken as an empty value for `var` running under the program named ‘;/some/path’. To diagnose this, Kpathsea warns if the program name

contains a path separator or other special character. The simplest way to avoid the problem is to use the `=`.

Exactly when a character will be considered special or act as itself depends on the context in which it is used. The rules are inherent in the multiple levels of interpretation of the configuration (parsing, expansion, search, ...) and so cannot be concisely stated, unfortunately. There is no general escape mechanism; in particular, ‘\’ is not an “escape character” in `texmf.cnf` files. When it comes choosing directory names for installation, it is safest to avoid them all.

The implementation of all this is in `kpathsea/cnf.c`.

5.3 Path expansion

Kpathsea recognizes certain special characters and constructions in search paths, similar to that in shells. As a general example: ‘`~$USER/{foo,bar}//baz`’ expands to all subdirectories under directories `foo` and `bar` in `$USER`’s home directory that contain a directory or file `baz`.

These expansions are explained in the sections below.

5.3.1 Default expansion

If the highest-priority search path (see Section 5.2 [Path sources], page 10) contains an extra colon (i.e., leading, trailing, or doubled), Kpathsea inserts at that point the next-highest-priority search path that is defined. If that inserted path has an extra colon, the same happens with the next-highest. (An extra colon in the compile-time default value has unpredictable results, so installers beware.)

For example, given an environment variable setting

```
setenv TEXINPUTS /home/karl:
```

and a `TEXINPUTS` value from `texmf.cnf` of

```
.:$TEXMF//tex
```

then the final value used for searching will be:

```
/home/karl:$TEXMF//tex
```

Put another way, default expansion works on “formats” (search paths), and not directly on environment variables. Example, showing the trailing ‘`:`’ ignored in the first case and expanded in the second:

```
$ env TTFONTS=/tmp: kpsewhich --expand-path '$TTFONTS'  
/tmp  
$ env TTFONTS=/tmp: kpsewhich --show-path=.ttf  
/tmp:./home/olaf/texmf/fonts/truetype//:...
```

Since Kpathsea looks for multiple configuration files, it would be natural to expect that (for example) an extra colon in `./texmf.cnf` would expand to the path in `$TEXMF/texmf.cnf`. Or, with Dvips’ configuration files, that an extra colon in `config.$PRINTER` would expand to the path in `config.ps`. This doesn’t happen. It’s not clear this would be desirable in all cases, and trying to devise a way to specify the path to which the extra colon should expand seemed truly baroque.

Technically: Since it would be useless to insert the default value in more than one place, Kpathsea changes only one extra ‘:’ and leaves any others in place (they will eventually be ignored). Kpathsea checks first for a leading ‘:’, then a trailing ‘:’, then a doubled ‘:’.

You can trace this by debugging “paths” (see Section 8.3 [Debugging], page 43). Default expansion is implemented in the source file `kpathsea/kdefault.c`.

5.3.2 Variable expansion

‘\$foo’ or ‘\${foo}’ in a path element is replaced by (1) the value of an environment variable ‘foo’ (if defined); (2) the value of ‘foo’ from `texmf.cnf` (if defined); (3) the empty string.

If the character after the ‘\$’ is alphanumeric or ‘_’, the variable name consists of all consecutive such characters. If the character after the ‘\$’ is a ‘{’, the variable name consists of everything up to the next ‘}’ (braces may not be nested around variable names). Otherwise, Kpathsea gives a warning and ignores the ‘\$’ and its following character.

You must quote the \$’s and braces as necessary for your shell. *Shell* variable values cannot be seen by Kpathsea, i.e., ones defined by `set` in C shells and without `export` in Bourne shells.

For example, given

```
setenv tex /home/texmf
setenv TEXINPUTS .:$tex:${tex}prev
```

the final `TEXINPUTS` path is the three directories:

```
.:/home/texmf:/home/texmfprev
```

The ‘*.progname*’ suffix on variables and ‘*_progname*’ on environment variable names are not implemented for general variable expansions. These are only recognized when search paths are initialized (see Section 5.2 [Path sources], page 10).

Variable expansion is implemented in the source file `kpathsea/variable.c`.

5.3.3 Tilde expansion

A leading ‘~’ in a path element is replaced by the value of the environment variable `HOME`, or . if `HOME` is not set. On Windows, the environment variable `USERPROFILE` is checked instead of `HOME`.

A leading ‘~*user*’ in a path element is replaced by *user*’s home directory from the system `passwd` database.

For example,

```
setenv TEXINPUTS ~/mymacros:
```

will prepend a directory `mymacros` in your home directory to the default path.

As a special case, if a home directory ends in ‘/’, the trailing slash is dropped, to avoid inadvertently creating a ‘//’ construct in the path. For example, if the home directory of the user ‘root’ is ‘/’, the path element ‘~root/mymacros’ expands to just ‘/mymacros’, not ‘//mymacros’.

Tilde expansion is implemented in the source file `kpathsea/tilde.c`.

5.3.4 Brace expansion

‘`x{a,b}y`’ expands to ‘`xay:xyb`’. For example:

```
foo/{1,2}/baz
```

expands to ‘`foo/1/baz:foo/2/baz`’. ‘`:`’ is the path separator on the current system; e.g., on a Windows system, it’s ‘`;`’.

Braces can be nested; for example, ‘`x{A,B}{1,2}y`’ expands to ‘`xAy:xB1y:xB2y`’.

Multiple non-nested braces are expanded from right to left; for example, ‘`x{A,B}{1,2}y`’ expands to ‘`x{A,B}1y:x{A,B}2y`’, which expands to ‘`xA1y:xB1y:xA2y:xB2y`’.

This feature can be used to implement multiple TEX hierarchies, by assigning a brace list to `$TEXMF.in`, as mentioned in `texmf.in`.

You can also use the path separator instead of the comma. The last example could have been written ‘`x{A:B}{1:2}y`’ (on Unix).

Brace expansion is implemented in the source file `kpathsea/expand.c`.

5.3.5 KPSE_DOT expansion

When `KPSE_DOT` is defined in the environment, it names a directory that should be considered the current directory for the purpose of looking up files in the search paths. This feature is needed by the ‘`mktex...`’ scripts Section 6.5 [mktex scripts], page 33, because these change the working directory. You should not ever define it yourself.

5.3.6 Subdirectory expansion

Two or more consecutive slashes in a path element following a directory d is replaced by all subdirectories of d : first those subdirectories directly under d , then the subsubdirectories under those, and so on. At each level, the order in which the directories are searched is unspecified. (It’s “directory order”, and definitely not alphabetical.)

If you specify any filename components after the ‘`//`’, only subdirectories which match those components are included. For example, ‘`/a//b`’ would expand into directories `/a/1/b`, `/a/2/b`, `/a/1/1/b`, and so on, but not `/a/b/c` or `/a/1`.

You can include multiple ‘`//`’ constructs in the path.

‘`//`’ at the beginning of a path is ignored. Searching every directory on the system is not relevant for TEX.

We need to discuss one related implementation trick, originally taken from GNU `find`. Matthew Farwell suggested it, and David MacKenzie implemented it.

The trick is that in normal Unix implementations (though not in the POSIX specification), a directory which contains no subdirectories will have exactly two links (namely, one for `.` and one for `..`). That is to say, the `st_nlink` field in the ‘`stat`’ structure will be two. Thus, we don’t have to stat everything in the bottom-level (leaf) directories—we can just check `st_nlink`, notice it’s two, and do no more work.

`Kpathsea` never does this `st_nlink=2` check (or any disk checking) for `!!` trees (see Section 5.5.1 [ls-R], page 17). And the non-`!!` trees in a TEX Live installation are typically extremely small. Therefore the `st_nlink` check is not performed by default at all, as of 2025 (`Kpathsea 6.3.4`). That way, two not-uncommon situations work out: 1) all `gvvisor`-handled filesystems return `st_nlink=1` before some post-2025 release (<https://tug.org/>

pipermail/texhax/2025-July/026772.html); 2) a symbolic link to another directory in such an apparent leaf directory will get followed even though `st_nlink=2` (<https://tex.stackexchange.com/questions/132908>).

If you have an extremely large non-!! tree, most likely `TEXMFHOME`, you may find it useful to enable the check: you can do this by setting the configuration variable `texmf_nlink_for_leaf` to 1. Alternatively, with such a large tree, you may find it even more useful to add the tree to `TEXMFDBS` so that only `ls-R` lookups are done (again, see Section 5.5.1 [`ls-R`], page 17).

Unfortunately, in some cases files in leaf directories are `stat'd` anyway: if the path specification is, say, ‘`$TEXMF/fonts//pk//`’, then files in a subdirectory ‘`.../pk`’, even if it is a leaf, are checked. The reason cannot be explained without reference to the implementation, so read `kpathsea/elt-dirs.c` (search for ‘`may descend`’) if you are curious. And if you find a way to solve the problem, please let me know.

Subdirectory expansion is implemented in the source file `kpathsea/elt-dirs.c`.

5.4 Casefolding search

In Kpathsea version 6.3.0 (released with `TeX Live 2018`), a new fallback search was implemented on Unix-like systems, including Macs: for each path element in turn, if no match is found by the normal search, and the path element allows for checking the filesystem, a second check is made for a case-insensitive match.

This is enabled at compile-time on Unix systems, and enabled at runtime by setting the configuration variable `texmf_casefold_search`, to a true value, e.g., ‘1’; this is done by default in `TeX Live`.

5.4.1 Casefolding rationale

The purpose of the fallback casefolding search is to ease moving complex documents between case-insensitive (file)systems and case-sensitive ones. In particular, Apple decided to make the default filesystem on Macs be case-insensitive some years ago, and this has exacerbated a problem of people creating documents that use, say, an image under the name `foo.jpg`, while the actual file is named `foo.JPG` or `Foo.jpg`. It works on the Mac but if the document is transferred and run on a standard case-sensitive Unix (file)system, the file can't be found, due only to differences in case.

This same problematic scenario has always existed on Windows, but for whatever reason, it has become much more common since Apple also went to a case-insensitive filesystem. Hence the relatively late change to the Kpathsea behavior.

The fallback case-insensitive search is omitted at compile-time on Windows, where (for practical purposes) all file names are case-insensitive at the kernel level, and so the normal search will already have definitively matched or not. Therefore, search results in unusual cases can be different on Windows and Unix—but this has always been true.

5.4.2 Casefolding examples

The casefolding implementation prefers exact matches to caserefolded matches within a given path element, so as to retain most compatibility. Backward compatibility is not perfect, however, as a caserefolded match may be found in an earlier path element than an exact match was previously found (see example #4 below). Still, preferring the match in the

earlier element seemed potentially less confusing than otherwise, and is in fact consistent with past behavior on Windows. Since case mismatches are rare to begin with, and name collisions with respect only to case thus even more rare, the hope is that it will not cause difficulties in practice.

If it's desirable in a given situation to have the exact same search behavior as previously, that can be accomplished by setting the configuration variable `texmf_casifold_search` to '0' (see Section 5.2 [Path sources], page 10).

Some examples to illustrate the new behavior follow.

Example #1: suppose the file `./foobar.tex` exists. Now, searching for `./FooBar.TeX` (or any other case variation) will succeed, returning `./foobar.tex`—the name as stored on disk. In previous releases, or if `texmf_casifold_search` is false, the search would fail.

Example #2: suppose we are using a case-sensitive (file)system, and the search path is '`./:somedir`', and the files `./foobar.tex` and `/somedir/FooBar.TeX` both exist. Both now and previously, searching for `foobar.tex` returns `./foobar.tex`. However, searching for `FooBar.TeX` now returns `./foobar.tex` instead of `/somedir/FooBar.TeX`; this is the incompatibility mentioned above. Also (as expected), searching for `FOOBAR.TEX` (or whatever variation) will now return `./foobar.tex`, whereas before it would fail. Searching for all ('`kpsewhich --all`') `foobar.tex` will return both matches.

Example #3: same as example #2, but on a case-insensitive (file)system: both now and previously, searching for `FooBar.TeX` returns `./foobar.tex`, since the system considers that a match. The Kpathsea casefolding never comes into play.

Example #4: if we have (on a case-sensitive system) both `./foobar.tex` and `./FOOBAR.TEX`, searching with the exact case returns that exact match, now and previously. Searching for `FooBar.tex` will now return one or the other (chosen arbitrarily), rather than failing. Perhaps unexpectedly, searching for all `foobar.tex` or `FooBar.tex` will also return only one or the other, not both (see more below).

Example #5: the font file `STIX-Regular.otf` is included in `TeX` Live in the system directory `texmf-dist/fonts/opentype/public/stix`. Because Kpathsea never searches the disk in the big system directory, the casefolding is not done, and a search for '`stix-regular.otf`' will fail (on case-sensitive systems), as it always has.

The caveat about not searching the disk amounts to saying that casefolding does not happen in the trees specified with '!' (see Section 5.5.1 [`ls-R`], page 17), that is, where only database (`ls-R`) searching is done. In `TeX` Live, that is the '`texmf-local`' and '`texmf-dist`' trees (also `$TEXMFSYS CONFIG` and `$TEXMFSYS VAR`, but those are rarely noticed). The rationale for this is that in practice, case mangling happens with user-created files, not with packages distributed as part of the `TeX` system.

One more caveat: the purpose of `kpsewhich` is to exercise the path searching in Kpathsea as it is actually done. Therefore, as shown above, '`kpsewhich --all`' will not return all matches regardless of case within a given path element. If you want to find all matches in all directories, `find` is the best tool, although the setup takes a couple steps:

```
kpsewhich -show-path=tex >/tmp/texpath      # search path specification
kpsewhich -expand-path="`cat /tmp/texpath`" >/tmp/texdirs  # all dirs
tr ':' '\n' </tmp/texdirs >/tmp/texdirlist  # colons to newlines
find `cat /tmp/texdirlist` -iname somefile.tex -print </tmp/texdirlist
```

Sorry that it's annoyingly lengthy, but implementing this inside Kpathsea would be a lot of error-prone trouble for something that is only useful for debugging. If your `find` does not support `-iname`, you can get GNU Find from <https://gnu.org/software/findutils>.

The casefolding search is implemented in the source file `kpathsea/pathsearch.c`. Two implementation points:

- Kpathsea never tries to check if a given directory resides on a case-insensitive filesystem, because there is no efficient and portable way to do so. All it does is try to see if a potential file name is a readable normal file (with, usually, the `access` system call).
- Kpathsea does not do any case-insensitive matching of the directories along the path. It's not going to find `/Some/Random/file.tex` when looking for `/some/random/file.tex`. The casefolding only happens with the elements of the leaf directory.

5.5 Filename database (`ls-R`)

Kpathsea goes to some lengths to minimize disk accesses for searches (see Section 5.3.6 [Subdirectory expansion], page 14). Nevertheless, in practice searching every possible directory in typical TeX installations takes an excessively long time.

Therefore, Kpathsea can use an externally-built *filename database* file named `ls-R` that maps files to directories, thus avoiding the need to exhaustively search the disk.

A second database file `aliases` allows you to give additional names to the files listed in `ls-R`.

The `ls-R` and `aliases` features are implemented in the source file `kpathsea/db.c`.

5.5.1 `ls-R`

As mentioned above, you must name the main filename database `ls-R`. You can put one at the root of each TeX installation hierarchy you wish to search (`$TEXMF` by default, which expands to a braced list of several hierarchies in TeX Live).

Kpathsea looks for `ls-R` files along the `TEXMFDBS` path. It is best for this to contain all and only those hierarchies from `$TEXMF` which are specified with `!!`—and also to specify them with `!!` in `TEXMFDBS`. (See the end of this section for more on `!!`.)

The recommended way to create and maintain ‘`ls-R`’ is to run the `mktexlsr` script, which is installed in ‘`$(bindir)`’ (`/usr/local/bin` by default). That script goes to some trouble to follow symbolic links as necessary, etc. It's also invoked by the distributed ‘`mktex...`’ scripts.

At its simplest, though, you can build `ls-R` with the command

```
cd /your/texmf/root && ls -LAR . >ls-R
```

presuming your `ls` produces the right output format (see the section below). GNU `ls`, for example, outputs in this format. Also presuming your `ls` hasn't been aliased in a system file (e.g., `/etc/profile`) to something problematic, e.g., ‘`ls --color=tty`’. In that case, you will have to disable the alias before generating `ls-R`. For the precise definition of the file format, see Section 5.5.3 [Database format], page 18.

Regardless of whether you use the supplied script or your own, you will almost certainly want to invoke it via `cron`, so when you make changes in the installed files (say if you install

a new LATEX package), `ls-R` will be automatically updated. However, for those using TEX Live or system distributions, the package managers should run `mktexlsr` as needed.

The ‘`-A`’ option to `ls` includes files beginning with ‘`.`’ (except for `.` and `..`), such as the file `.tex` included with the LATEX tools package. (On the other hand, *directories* whose names begin with ‘`.`’ are always ignored.)

If your system does not support symbolic links, omit the ‘`-L`’.

`ls -LAR /your/texmf/root` will also work. But using ‘`./`’ avoids embedding absolute pathnames, so the hierarchy can be easily transported. It also avoids possible trouble with automounters or other network filesystem conventions.

Kpathsea warns you if it finds an `ls-R` file, but the file does not contain any usable entries. The usual culprit is running plain ‘`ls -R`’ instead of ‘`ls -LR ./`’ or ‘`ls -R /your/texmf/root`’. Another possibility is some system directory name starting with a ‘`.`’ (perhaps if you are using AFS); Kpathsea ignores everything under such directories.

If a particular path element begins with ‘`!!`’, *only* the database will be searched for that element, never the disk; and if the database does not exist, nothing at all will be searched. In TEX Live, most of the trees are specified with ‘`!!`’.

For path elements that do not begin with ‘`!!`’, if the database exists, it will be used, and the disk will not be searched. However, in this case, if the database does not exist, the disk will be searched. In TEX Live, the most notable case of this is the `TEXMFHOME` tree, to allow users to add and remove files from their own tree without having to worry about `ls-R`.

(Aside: there are uncommon cases where a ‘`!!`’ tree will be searched on disk even if the `ls-R` file exists; they are too obscure to try to explain here. See `pathsearch.c` in the source if you need to know.)

To sum up: do not create an `ls-R` file unless you also take care to keep it up to date. Otherwise newly-installed files will not be found.

5.5.2 Filename aliases

In some circumstances, you may wish to find a file under several names. For example, suppose a TEX document was created using a DOS system and tries to read `longtbl.sty`. But now it’s being run on a Unix system, and the file has its original name, `longtable.sty`. The file won’t be found. You need to give the actual file `longtable.sty` an alias ‘`longtbl.sty`’.

You can handle this by creating a file `aliases` as a companion to the `ls-R` for the hierarchy containing the file in question. (You must have an `ls-R` for the alias feature to work.)

The format of `aliases` is simple: two whitespace-separated words per line; the first is the real name `longtable.sty`, and second is the alias (`longtbl.sty`). These must be base filenames, with no directory components. `longtable.sty` must be in the sibling `ls-R`.

Also, blank lines and lines starting with ‘`%`’ or ‘`#`’ are ignored in `aliases`, to allow for comments.

If a real file `longtbl.sty` exists, it is used regardless of any aliases.

5.5.3 Database format

The “database” read by Kpathsea is a line-oriented file of plain text. The format is that generated by GNU (and most other) `ls` programs given the ‘`-R`’ option, as follows.

- Blank lines are ignored.

- If a line begins with ‘/’ or ‘./’ or ‘../’ and ends with a colon, it’s the name of a directory. (‘../’ lines aren’t useful, however, and should not be generated.)
- All other lines define entries in the most recently seen directory. ‘/’s in such lines will produce possibly-strange results.
- Files with no preceding directory line are ignored.

For example, here’s the first few lines of `ls-R` (which totals about 30K bytes) on my system:

```

bibtex
dvips
fonts
ls-R
metafont
metapost
tex
web2c

./bibtex:
bib
bst
doc

./bibtex/bib:
asi.bib
btxdoc.bib
...

```

5.6 kpsewhich: Standalone path searching

The `Kpsewhich` program exercises the path searching functionality independent of any particular application. This can also be useful as a sort of `find` program to locate files in your `TeX` hierarchies, perhaps in administrative scripts. It is used heavily in the distributed ‘`mktex...`’ scripts.

Synopsis:

```
kpsewhich option... filename...
```

The options and filename(s) to look up can be intermixed. Options can start with either ‘-’ or ‘--’, and any unambiguous abbreviation is accepted.

`Kpsewhich` looks up each non-option argument on the command line as a filename, and outputs (by default) the first file found to standard output. If a file is not found, and more than `filename` is given, a blank line is output for that file. See examples below.

The exit status is zero if all files were found, nonzero otherwise.

5.6.1 kpsewhich examples

Some examples of running `kpsewhich` with a typical `TeX` tree. A basic successful search (exit status 0):

```
$ kpsewhich plain.tex
```

```
/usr/local/texlive/2024/texmf-dist/tex/plain/base/plain.tex
```

Searching for multiple files, one of which is not found (exit status is 1 for this):

```
$ kpsewhich plain.tex foobar plain.mf
/usr/local/texlive/2024/texmf-dist/tex/plain/base/plain.tex
```

```
/usr/local/texlive/2024/texmf-dist/metafont/base/plain.mf
```

Using `--all` to see all files by the same name (exit status 0):

```
$ kpsewhich --all language.dat
/usr/local/texlive/2024/texmf-dist/tex/generic/config/language.dat
/usr/local/texlive/2024/texmf-dist/lambda/generic/config/language.dat
```

5.6.2 Path searching options

Various options alter the path searching behavior. Options apply to all lookups.

`--all` Report all matches found, one per line. By default, if there is more than one match, just one will be reported (chosen effectively at random). Exception: with the glyph formats (`pk`, `gf`), this option has no effect and only the first match is returned.

With both `-all` and multiple input files, there's no easy way to discern which matches belong to which files; you have to check the basename of the output. This could be improved, if there is any demand.

`--casefold-search`

`--no-casefold-search`

Explicitly enable or disable the fallback to a case-insensitive search on Unix platforms (see Section 5.4 [Casing search], page 15); no effect on Windows. The default is enabled, set in `texmf.cnf`. Disabling (`--no-casefold-search`) does not mean that searches magically become case-sensitive when the underlying (file)system is case-insensitive, it merely means that Kpathsea does not do any casing itself.

`--cnf-line=str`

Parse `str` as if it were a line in the `texmf.cnf` configuration file (see Section 5.2.1 [Config files], page 10), overriding settings in the actual configuration files, and also in the environment (see Section 5.2 [Path sources], page 10). This is implemented by making any settings from `str` in the environment, overwriting any value already there. Thus, an extra colon in a `--cnf-line` value will refer to the value from a configuration file, not a user-set environment variable.

Furthermore, any variable set from `str` will also be set with the program name suffix. For example, `pdftex --cnf-line=TEXINPUTS=/foo:` will set both `TEXINPUTS` and `TEXINPUTS_pdftex` in the environment (and the value will be `/foo` followed by the setting from `texmf.cnf`, ignoring any user-set `TEXINPUTS`).

This behavior is desirable because, in practice, many variables in the distributed `texmf.cnf` are program-specific, and the intuitive behavior is for values set on the command line with `--cnf-line` to override them.

--dpi=num

Set the resolution to *num*; this only affects ‘gf’ and ‘pk’ lookups. ‘-D’ is a synonym, for compatibility with Dvips. Default is 600.

--engine=name

Set the engine name to *name*. By default it is not set in **kpsewhich** (TeX engines set it to the appropriate string). The engine name is used in some search paths to allow files with the same name but used by different engines to coexist.

In particular, since the memory dump files (.fmt/.base/.mem) are now stored in subdirectories named for the engine (tex, pdftex, xetex, etc.), you must specify an engine name in order to find them. For example, **cont-en.fmt** typically exists for both pdftex and xetex. With the default path settings, you can use ‘--engine=/’ to look for any dump file, regardless of engine; if a dump file exists for more than one engine, it’s indeterminate which one is returned. (The ‘/’ ends up specifying a normal recursive search along the path where the dumps are stored, namely ‘\$TEXMF/web2c{/\$engine,}’.)

--format=name

Set the format for lookup to *name*. By default, the format is guessed from the filename, with ‘tex’ being used if nothing else fits. The recognized filename extensions (including any leading ‘.’) are also allowable *names*.

All formats also have a name, which is the only way to specify formats with no associated suffix. For example, for Dvips configuration files you can use ‘--format="dvips config"’. (The quotes are for the sake of the shell.)

Here’s the current list of recognized names and the associated suffixes. See Section 6.1 [Supported file formats], page 27, for more information on each of these.

The strings in parentheses are abbreviations recognized only by **kpsewhich** (not the underlying library calls). They are provided when it would otherwise require an argument containing a space to specify the format, to simplify quoting of calls from shells.

```

gf: gf
pk: pk
bitmap font (bitmapfont):
tfm: .tfm
afm: .afm
base: .base
bib: .bib
bst: .bst
cnf: .cnf
ls-R: ls-R ls-r
fmt: .fmt
map: .map
mem: .mem
mf: .mf
mfpool: .pool

```

```
mft: .mft
mp: .mp
mppool: .pool
MetaPost support (mpsupport):
  ocp: .ocp
  ofm: .ofm .tfm
  opl: .opl .pl
  otp: .otp
  ovf: .ovf .vf
  ovp: .ovp .vpl
  graphic/figure: .eps .epsi
  tex: .tex .sty .cls .fd .aux .bbl .def .clo .ldf
  TeX system documentation (doc):
    texpool: .pool
  TeX system source (source, src): .dtx .ins
  PostScript header (psheader): .pro
  Troff fonts (trofffont):
    type1 fonts: .pfa .pfb
    vf: .vf
    dvips config (dvipsconfig):
      ist: .ist
    truetype fonts (truetype, ttf): .ttf .ttc .TTF .TTC .dfont
    type42 fonts (type42): .t42 .T42
    web2c files (web2c):
      other text files (othertext):
      other binary files (otherbin):
      misc fonts (miscfont):
        web: .web .ch
        cweb: .w .web .ch
        enc files (enc): .enc
        cmap files (cmap):
          subfont definition files (sfd): .sfd
        opentype fonts (opentype, otf): .otf .OTF
        pdftex config (pdftexconfig):
          lig files (lig): .lig
        texmfscripts:
          lua: .lua .luatex .luc .luctex .texlua .texluc .tlu
          font feature files (fea): .fea
          cid maps (cidmap): .cid .cidmap
          mlbib: .mlbib .bib
          mlbst: .mlbst .bst
          clua: .dll .so
          ris: .ris
          bltxml: .bltxml
```

This option and ‘--path’ are mutually exclusive.

'--interactive'

After processing the command line, read additional filenames to look up from standard input.

'--mktex=*filetype*'**'--no-mktex=*filetype*'**

Turn on or off the ‘mktex’ script associated with *filetype*. Usual values for *filetype* are ‘pk’, ‘mf’, ‘tex’, and ‘tfm’. By default, all are off in `Kpsewhich`, even if they are enabled for `TeX`. This option implies setting **--must-exist**. See Section 6.5 [mktex scripts], page 33.

'--mode=*string*'

Set the mode name to *string*; this also only affects ‘gf’ and ‘pk’ lookups. No default: any mode will be found. See Section 6.5.3 [mktex script arguments], page 36.

'--must-exist'

Do everything possible to find the files, notably including searching the disk and running the ‘mktex’ scripts. By default, only the `ls-R` database is checked, in the interest of efficiency.

'--path=*string*'

Search along the path *string* (colon-separated as usual), instead of guessing the search path from the filename. ‘//’ and all the usual expansions are supported (see Section 5.3 [Path expansion], page 12). This option and ‘--format’ are mutually exclusive. To output the complete directory expansion of a path, instead of doing a one-shot lookup, see ‘--expand-path’ and ‘--show-path’ in the following section.

'--progname=*name*'

Set the program name to *name*; default is ‘`kpsewhich`’. This can affect the search paths via the ‘`.prognam`’ feature in configuration files (see Section 5.2.1 [Config files], page 10).

'--subdir=*string*'

Report only those matches whose directory part *ends* with *string* (compared literally, except case is ignored on a case-insensitive operating system). For example, suppose there are two matches for a given name:

```
kpsewhich foo.sty
⇒ /some/where/foo.sty
/another/place/foo.sty
```

Then we can narrow the result to what we are interested in with **--subdir**:

```
kpsewhich --subdir=where foo.sty
⇒ /some/where/foo.sty
```

```
kpsewhich --subdir=place foo.sty
⇒ /another/place/foo.sty
```

The string to match must be at the end of the directory part of the match, and it is taken literally, with no pattern matching:

```
kpsewhich --subdir=another foo.sty
```

⇒

The string to match may cross directory components:

```
kpsewhich --subdir=some/where foo.sty
⇒ /some/where/foo.sty
```

--subdir implies --all; if there is more than one match, they will all be reported (in our example, both ‘where’ and ‘place’ end in ‘e’):

```
kpsewhich --subdir=e
⇒ /some/where/foo.sty
/another/place/foo.sty
```

Because of the above rules, the presence of a leading ‘/’ is important, since it “anchors” the match to a full component name:

```
kpsewhich --subdir=/lace foo.sty
⇒
```

However, a trailing ‘/’ is immaterial (and ignored), since the match always takes place at the end of the directory part:

```
kpsewhich --subdir=lace/ foo.sty
⇒ /another/place/foo.sty
```

The purpose of these rules is to make it convenient to find results only within a particular area of the tree. For instance, a given script named `foo.lua` might exist within both `texmf-dist/scripts/pkg1/` and `texmf-dist/scripts/pkg2/`. By specifying, say, ‘`--subdir=/pkg1`’, you can be sure of getting the one you are interested in.

We only match at the end because a site might happen to install TeX in `/some/coincidental/pkg1/path/`, and we wouldn’t want to match `texmf-dist/scripts/pkg2/` that when searching for `‘/pkg1’`.

5.6.3 Specially-recognized files for kpsewhich

`kpsewhich` recognizes a few special filenames on the command line and defaults to using the ‘known’ file formats for them, merely to save the time and trouble of specifying the format. This is only a feature of `kpsewhich`; when using the Kpathsea library itself, none of these special filenames are recognized, and it’s still up to the caller to specify the desired format.

Here is the list of special filenames to `kpsewhich`, along with their corresponding format:

```
config.ps
    dvips config

dvipdfmx.cfg
    ‘other text files’

fmtutil.cnf
    ‘web2c files’

glyphlist.txt
    ‘map’

mktex.cnf
    ‘web2c files’
```

```

pdflglyphlist.txt
  'map'

pdftex.cfg
  'pdftex config' (although pdftex.cfg is not used any more; look for the file
  pdftexconfig.tex instead.)

texmf.cnf
  'cnf'

XDvi    'other text files'

```

A user-specified format will override the above defaults.

Another reference for information about TeX's many special files is `tcfmgr.map`, found in `texmf/texconfig/tcfmgr.map`, which records various information about the above configuration files (among others).

5.6.4 Auxiliary tasks

`Kpsewhich` provides some features in addition to path lookup as such:

`--debug=num`

Set debugging options to *num*. See Section 8.3 [Debugging], page 43.

`--expand-braces=string`

Output variable, tilde, and brace expansion of *string*, which is assumed to be a single path element. See Section 5.3 [Path expansion], page 12.

`--expand-path=string`

Output the complete expansion of *string*, with each element separated by the usual path separator on the current system (';' on Windows, ':' otherwise). This may be useful to construct a custom search path for a format not otherwise supported. To retrieve the search path for a format that is already supported, see `--show-path`.

Nonexistent directories are culled from the output:

```

$ kpsewhich --expand-path '/tmp'
⇒ /tmp
$ kpsewhich --expand-path '/nonesuch'
⇒

```

For one-shot uses of an arbitrary (not built in to `Kpathsea`) path, see `--path` (see Section 5.6.2 [Path searching options], page 20).

`--expand-var=string`

Output the variable and tilde expansion of *string*. For example, with the usual `texmf.cnf`, `'kpsewhich --expand-var='\$TEXMF'` returns the TeX system hierarchy root(s). See Section 5.3 [Path expansion], page 12. The specified *string* can contain anything, though, not just variable references. This calls `kpse_var_expand` (see Section 7.5 [Programming with config files], page 40).

`--help-formats`

Output information about each supported format (see Section 6.1 [Supported file formats], page 27), including the names and abbreviations, variables looked for, and the original path.

`--safe-extended-in-name=name`
`--safe-extended-out-name=name`

As with `--safe-in-name` and `--safe-out-name` (next item), but also allow files under the variables `TEXMFVAR` and `TEXMFSYSVAR` (see Section 7.2 [Calling sequence], page 37).

`--safe-in-name=name`
`--safe-out-name=name`

Exit successfully if *name* is safe to open for reading or writing, respectively, else unsuccessfully. No errors are output. These tests take account of the related Kpathsea configuration settings (see Section 7.2 [Calling sequence], page 37).

`--show-path=name`

Show the path that would be used for file lookups of file type *name*. Either a filename extension ('pk', '.vf', etc.) or an integer can be used, just as with `--format`, described in the previous section.

`--var-brace-value=variable`

Like `--var-value` (next), but also expands '{...}' constructs. (see Section 5.3.4 [Brace expansion], page 14). Thus, the value is assumed to possibly be several path elements, and '~' is expanded at the beginning of each. The path separator is changed to that of the current system in the expansion.

Example: `'FOO='.;~' kpsewhich --var-brace-value=FOO'` outputs (on a Unix-ish system) `'.:~/home/karl'`, supposing the latter is the current user's home directory. Note that the ';' in the source value, as commonly used in `texmf.cnf`, has changed to a ':', as the normal path separator on the current system. On a Windows-ish system, the ';' would remain.

`--var-value=variable`

Outputs the value of *variable* (a simple identifier like 'TEXMFDIST', with no '\$' or other constructs), expanding '\$' (see Section 5.3.2 [Variable expansion], page 13) and '~' (see Section 5.3.3 [Tilde expansion], page 13) constructs in the value. '~' expansion happens at the beginning of the overall value and at the beginning of a variable expansion, but not arbitrarily within the string. Braces are not expanded.

Example: `--var-value=texmf_casifold_search` outputs (if the default is not changed) '1'.

Example to contrast with `--var-brace-value`: `'FOO='.;~' kpsewhich --var-value=FOO'` outputs `'.;~'`, i.e., the same as the input value, on all systems.

5.6.5 Standard options

Kpsewhich accepts the standard GNU options:

- `--help` prints a help message on standard output and exits successfully.
- `--version` prints the Kpathsea version number and exits successfully.

6 \TeX support

Although the basic features in Kpathsea can be used for any type of path searching, it came about, as usual, with a specific application in mind: I wrote Kpathsea specifically for \TeX system programs. I had been struggling with the programs I was using (Dvips, Xdvi, and \TeX itself) having slightly different notions of how to specify paths; and debugging was painful, since no code was shared.

Therefore, Kpathsea provides some \TeX -specific formats and features. Indeed, many of the purportedly generic path searching features were provided because they seemed useful in that $\text{con}\text{\TeX}t$ (font lookup, particularly).

Kpathsea provides a standard way to search for files of any of the supported file types; glyph fonts are a bit different than all the rest. Searches are based solely on names of files, not their contents—if a GF file is (mis)named `cmr10.600pk`, it will be found as a PK file.

6.1 Supported file formats

Kpathsea has support for a number of file types. Each file type has a list of environment and config file variables that are checked to define the search path, and most have a default suffix that plays a role in finding files (see the next section). Some also define additional suffixes, and/or a program to be run to create missing files on the fly.

Since environment variables containing periods, such as ‘`TEXINPUTS.latex`’, are not allowed on some systems, Kpathsea looks for environment variables with an underscore, e.g., ‘`TEXINPUTS_latex`’ (see Section 5.2.1 [Config files], page 10).

The following table lists the above information. You can also get the list by giving the ‘`--help-formats`’ option to `kpsewhich` (see Section 5.6.4 [Auxiliary tasks], page 25).

‘ <code>afm</code> ’	(Adobe font metrics, see Section “Metric files” in <i>Dvips</i>) <code>AFMFONTS</code> ; suffix ‘ <code>.afm</code> ’.
‘ <code>base</code> ’	(Metafont memory dump, see Section “Memory dumps” in <i>Web2c</i>) <code>MFBASES</code> , <code>TEXMFINI</code> ; suffix ‘ <code>.base</code> ’.
‘ <code>bib</code> ’	(Bib \TeX bibliography source, see Section “ <code>bibtex</code> invocation” in <i>Web2c</i>) <code>BIBINPUTS</code> , <code>TEXBIB</code> ; suffix ‘ <code>.bib</code> ’.
‘ <code>bltxml</code> ’	(Bib \TeX XML bibliography files for Biber, https://ctan.org/pkg/biber) <code>BLTXMLINPUTS</code> suffix ‘ <code>.bltxml</code> ’.
‘ <code>bst</code> ’	(Bib \TeX style, see Section “Basic Bib \TeX style files” in <i>Web2c</i>) <code>BSTINPUTS</code> ; suffix ‘ <code>.bst</code> ’.
‘ <code>clua</code> ’	(dynamic libraries for Lua, https://ctan.org/pkg/luatex) <code>CLUAINPUTS</code> suffixes ‘ <code>.dll</code> ’ and ‘ <code>.so</code> ’.
‘ <code>cmap</code> ’	(character map files) <code>CMAPFONTS</code> ; suffix ‘ <code>.cmap</code> ’.
‘ <code>cnf</code> ’	(Runtime configuration files, see Section 5.2.1 [Config files], page 10) <code>TEXMFCNF</code> ; suffix ‘ <code>.cnf</code> ’.
‘ <code>cweb</code> ’	(CWEB input files) <code>CWEBINPUTS</code> ; suffixes ‘ <code>.w</code> ’, ‘ <code>.web</code> '; additional suffix ‘ <code>.ch</code> ’.

‘dvips config’
 (Dvips ‘config.*’ files, such as config.ps, see Section “Config files” in *Dvips*)
 TEXCONFIG.

‘enc files’
 (encoding vectors) ENCFONTS; suffix ‘.enc’.

‘fmt’ (T_EX memory dump, see Section “Memory dumps” in *Web2c*) TEXFORMATS,
 TEXMFINI; suffix ‘.fmt’.

‘font cid map’
 (CJK mapping) FONTCIDMAPS suffix ‘.cid’.

‘font feature files’
 (primarily for OpenType font features) FONTFEATURES suffix ‘.fea’.

‘gf’ (generic font bitmap, see Section “Glyph files” in *Dvips*) programFONTS,
 GFFONTS, GLYPHFONTS, TEXFONTS; suffix ‘gf’.

‘graphic/figure’
 (Encapsulated PostScript figures, see Section “PostScript figures” in *Dvips*)
 TEXPICTS, TEXINPUTS; additional suffixes: ‘.eps’, ‘.epsi’.

‘ist’ (makeindex style files) TEXINDEXSTYLE, INDEXSTYLE; suffix ‘.ist’.

‘lig files’
 (ligature definition files) LIGFONTS; suffix ‘.lig’.

‘ls-R’ (Filename databases, see Section 5.5 [Filename database], page 17) TEXMFDBS.

‘lua’ (Lua scripts, <https://ctan.org/pkg/luatex>) LUAINPUTS suffixes ‘.lua’,
 ‘.luatex’, ‘.luc’, ‘.luctex’, ‘.texlua’, ‘.texluc’, ‘.tlu’.

‘map’ (Fontmaps, see Section 6.3.2 [Fontmap], page 32) TEXFONTMAPS; suffix ‘.map’.

‘mem’ (MetaPost memory dump, see Section “Memory dumps” in *Web2c*) MPMEMS,
 TEXMFINI; suffix ‘.mem’.

‘MetaPost support’
 (MetaPost support files, used by DMP; see Section “dmp invocation” in *Web2c*)
 MPSUPPORT.

‘mf’ (Metafont source, see Section “mf invocation” in *Web2c*) MFINPUTS; suffix ‘.mf’;
 dynamic creation program: mktexmf.

‘mfpool’ (Metafont program strings, see Section “pooltype invocation” in *Web2c*)
 MFPOOL, TEXMFINI; suffix ‘.pool’.

‘mft’ (MFT style file, see Section “mft invocation” in *Web2c*) MFTINPUTS; suffix ‘.mft’.

‘misc fonts’
 (font-related files that don’t fit the other categories) MISCFONTS

‘mlbib’ (M_IB_ET_EX bibliography source) MLBIBINPUTS, BIBINPUTS, TEXBIB; suffixes
 ‘.mlbib’, ‘.mlbib’.

‘mlbst’ (M_IB_ET_EX style) MLBSTINPUTS, BSTINPUTS; suffixes ‘.mlbst’, ‘.bst’.

- ‘mp’ (MetaPost source, see Section “mpost invocation” in *Web2c*) **MPINPUTS**; suffix ‘.mp’.
- ‘mppool’ (MetaPost program strings, see Section “pooltype invocation” in *Web2c*) **MPPOOL**, **TEXMFINI**; suffix ‘.pool’.
- ‘ocp’ (Omega compiled process files) **OCPINPUTS**; suffix ‘.ocp’; dynamic creation program: **MakeOmegaOCP**.
- ‘ofm’ (Omega font metrics) **OFMFONTS**, **TEXFONTS**; suffixes ‘.ofm’, ‘.tfm’; dynamic creation program: **MakeOmegaOFM**.
- ‘opentype fonts’ (OpenType fonts) **OPENTYPEFONTS**.
- ‘opl’ (Omega property lists) **OPLFONTS**, **TEXFONTS**; suffix ‘.opl’.
- ‘otp’ (Omega translation process files) **OTPINPUTS**; suffix ‘.otp’.
- ‘ovf’ (Omega virtual fonts) **OVFFONTS**, **TEXFONTS**; suffix ‘.ovf’.
- ‘ovp’ (Omega virtual property lists) **OVPFONTS**, **TEXFONTS**; suffix ‘.ovp’.
- ‘pdftex config’ (PDF \TeX -specific configuration files) **PDFTEXCONFIG**.
- ‘pk’ (packed bitmap fonts, see Section “Glyph files” in *Dvips*) **PROGRAMFONTS** (*program* being ‘*XDVI*’, etc.), **PKFONTS**, **TEXPKS**, **GLYPHFONTS**, **TEXFONTS**; suffix ‘pk’; dynamic creation program: **mktexpk**.
- ‘PostScript header’ (downloadable PostScript, see Section “Header files” in *Dvips*) **TEXPSHEADERS**, **PSHEADERS**; additional suffix ‘.pro’.
- ‘ris’ (RIS bibliography files, primarily for Biber, <https://ctan.org/pkg/biber>) **RISINPUTS** suffix ‘.ris’.
- ‘subfont definition files’ (subfont definition files) **SFDFONTS** suffix ‘.sfd’.
- ‘tex’ (\TeX source, see Section “tex invocation” in *Web2c*) **TEXINPUTS**; suffix ‘.tex’; additional suffixes: none, because such a list cannot be complete; dynamic creation program: **mktextex**.
- ‘ \TeX system documentation’ (Documentation files for the \TeX system) **TEXDOCS**.
- ‘ \TeX system sources’ (Source files for the \TeX system) **TEXSOURCES**.
- ‘texmfscripts’ (Architecture-independent executables distributed in the `texmf` trees) **TEXMFSCRIPTS**.
- ‘texpool’ (\TeX program strings, see Section “pooltype invocation” in *Web2c*) **TEXPOOL**, **TEXMFINI**; suffix ‘.pool’.

- ‘tfm’ (TEX font metrics, see Section “Metric files” in *Dvips*) TFMFONTS, TEXFONTS; suffix ‘.tfm’; dynamic creation program: `mktextrfm`.
- ‘Troff fonts’ (Troff fonts, used by DMP; see Section “DMP invocation” in *Web2c*) TRFONTS.
- ‘truetype fonts’ (TrueType outline fonts) TTFONTS; suffixes ‘.ttf’ and ‘.TTF’, ‘.ttc’ and ‘.TTC’, ‘.dfont’.
- ‘type1 fonts’ (Type 1 PostScript outline fonts, see Section “Glyph files” in *Dvips*) T1FONTS, T1INPUTS, TEXPSHEADERS, DVIPSHEADERS; suffixes ‘.pfa’, ‘.pfb’.
- ‘type42 fonts’ (Type 42 PostScript outline fonts) T42FONTS.
- ‘vf’ (virtual fonts, see Section “Virtual fonts” in *Dvips*) VFFONTS, TEXFONTS; suffix ‘.vf’.
- ‘web’ (WEB input files) WEBINPUTS; suffix ‘.web’; additional suffix ‘.ch’.
- ‘web2c files’ (files specific to the web2c implementation) WEB2C.

There are two special cases, because the paths and environment variables always depend on the name of the program: the variable name is constructed by converting the program name to upper case, and then appending ‘INPUTS’. Assuming the program is called ‘foo’, this gives us the following table.

- ‘other text files’ (text files used by ‘foo’) FOOINPUTS.
- ‘other binary files’ (binary files used by ‘foo’) FOOINPUTS.

If an environment variable by these names are set, the corresponding `texmf.cnf` definition won’t be looked at (unless, as usual, the environment variable value has an extra ‘:’). See Section 5.3.1 [Default expansion], page 12.

For the font variables, the intent is that:

- TEXFONTS is the default for everything.
- GLYPHFONTS is the default for bitmap (or, more precisely, non-metric) files.
- Each font format has a variable of its own.
- Each program has its own font override path as well; e.g., DVIPSFONTS for Dvipsk. Again, this is for bitmaps, not metrics.

6.2 File lookup

This section describes how Kpathsea searches for most files (bitmap font searches are the exception, as described in the next section).

Here is the search strategy for a file *name*:

1. If the file format defines default suffixes, and the suffix of *name* is not already a known suffix for that format, try the name with each default appended, and use

alternative names found in the fontmaps if necessary. Example: given ‘`foo.bar`’, look for ‘`foo.bar.tex`’.

2. Search for *name*, and if necessary for alternative names found in the fontmaps. Example: given ‘`foo.bar`’, we also look for ‘`foo.bar`’.
3. If the file format defines a program to invoke to create missing files, run it (see Section 6.5 [mktex scripts], page 33).

The order in which we search for “suffixed” name (item 1) or the “as-is” name (item 2) is controlled by the `try_std_extension_first` configuration value. The default set in `texmf.cnf` is true, since common suffixes are already recognized: ‘`babel.sty`’ will only look for ‘`babel.sty`’, not ‘`babel.sty.tex`’, regardless of this setting.

When the suffix is unknown (e.g., ‘`foo.bar`’), both names are always tried; the difference is the order in which they are tried.

`try_std_extension_first` only affects names being looked up which **already** have an extension. A name without an extension (e.g., ‘`tex story`’) will always have an extension added first.

This algorithm is implemented in the function `kpathsea_find_file` in the source file `kpathsea/tex-file.c`. You can watch it in action with the debugging options (see Section 8.3 [Debugging], page 43).

6.3 Glyph lookup

This section describes how Kpathsea searches for a bitmap font in GF or PK format (or either) given a font name (e.g., ‘`cmr10`’) and a resolution (e.g., 600).

Here is an outline of the search strategy (details in the sections below) for a file *name* at resolution *dpi*. The search stops at the first successful lookup.

1. Look for an existing file *name.dpiformat* in the specified format(s).
2. If *name* is an alias for a file *f* in the fontmap file `texfonts.map`, look for *f.dpi*.
3. Run an external program (typically named ‘`mktexpk`’) to generate the font (see Section 6.5 [mktex scripts], page 33)
4. Look for *fallback.dpi*, where *fallback* is some last-resort font (typically ‘`cmr10`’).

This is implemented in `kpathsea_find_glyph` in `kpathsea/tex-glyph.c`.

6.3.1 Basic glyph lookup

When Kpathsea looks for a bitmap font *name* at resolution *dpi* in a format *format*, it first checks each directory in the search path for a file ‘`name.dpiformat`’; for example, ‘`cmr10.600pk`’. Kpathsea looks for a PK file first, then a GF file.

If that fails, Kpathsea looks for ‘`dpidpi/name.format`’; for example, ‘`dpi600/cmr10.pk`’. This is how fonts are typically stored on filesystems (such as DOS) that permit only three-character extensions.

If that fails, Kpathsea looks for a font with a close-enough *dpi*. “Close enough” is defined by the macro `KPSE_BITMAP_TOLERANCE` in `kpathsea/tex-glyph.h` to be *dpi* / 500 + 1. This is slightly more than the 0.2% minimum allowed by the DVI standard (*CTAN:/dviware/driv-standard/level-0*).

6.3.2 Fontmap

If a bitmap font or metric file is not found with the original name (see the previous section), Kpathsea looks through any *fontmap* files for an *alias* for the original font name. These files are named `texfonts.map` and searched for along the `TEXFONTMAPS` environment/config file variable. All `texfonts.map` files that are found are read; earlier definitions override later ones.

This feature is intended to help in two respects:

1. An alias name is limited in length only by available memory, not by your filesystem. Therefore, if you want to ask for ‘Times-Roman’ instead of `ptmr`, you can (you get ‘`ptmr8r`’).
2. A few fonts have historically had multiple names: specifically, L_AT_EX’s “circle font” has variously been known as `circle10`, `lcircle10`, and `lcirc10`. Aliases can make all the names equivalent, so that it no longer matters what the name of the installed file is; T_EX documents will find their favorite name.

The format of fontmap files:

- Comments start with the last ‘%’ on a line and continue to the end of the line. (This provides for names that include a %, ill-advised as that may be.)
- Blank lines are ignored.
- Each nonblank line is broken up into a series of *words*: a sequence of non-whitespace characters.
- If the first word is ‘`include`’, the second word is used as a filename, and it is searched for and read.
- Otherwise, the first word on each line is the true filename;
- the second word is the alias;
- subsequent words are ignored.

If an alias has an extension, it matches only those files with that extension; otherwise, it matches anything with the same root, regardless of extension. For example, an alias ‘`foo.tfm`’ matches only when `foo.tfm` is being searched for; but an alias ‘`foo`’ matches `foo.vf`, `foo.600pk`, etc.

As an example, here is an excerpt from the `texfonts.map` in the Web2c distribution. It makes the old and new names of the L_AT_EX circle fonts equivalent.

```
circle10      lcircle10
circle10      lcirc10
lcircle10     circle10
lcircle10     lcirc10
lcirc10      circle10
lcirc10      lcircle10
...

```

Fontmaps are implemented in the file `kpathsea/fontmap.c`. The Fontname distribution has much more information on font naming (see *Filenames for T_EX fonts*).

6.3.3 Fallback font

If a bitmap font cannot be found or created at the requested size, Kpathsea looks for the font at a set of *fallback resolutions*. You specify these resolutions as a colon-separated list (like search paths). Kpathsea looks first for a program-specific environment variable (e.g., DVIPSSIZES for Dvipsk), then the environment variable TEXSIZES, then a default specified at compilation time (the Make variable `default_texsizes`). You can set this list to be empty if you prefer to find fonts at their stated size or not at all.

Finally, if the font cannot be found even at the fallback resolutions, Kpathsea looks for a fallback font, typically `cmr10`. Programs must enable this feature by calling `kpathsea_init_prog` (see Section 7.2 [Calling sequence], page 37); the default is no fallback font.

6.4 Suppressing warnings

Kpathsea provides a way to suppress selected usually-harmless warnings; this is useful at large sites where most users are not administrators, and thus the warnings are merely a source of confusion, not a help. To do this, you set the environment variable or configuration file value `TEX_HUSH` to a colon-separated list of values. Here are the possibilities:

- ‘all’ Suppress everything possible.
- ‘checksum’ Suppress mismatched font checksum warnings.
- ‘lostchar’ Suppress warnings when a character is missing from a font that a DVI or VF file tries to typeset.
- ‘none’ Don’t suppress any warnings.
- ‘readable’ Suppress warnings about attempts to access a file whose permissions render it unreadable.
- ‘special’ Suppresses warnings about an unimplemented or unparsable ‘`\special`’ command.

`tex-hush.c` defines the function that checks the variable value. Each driver implements its own checks where appropriate.

6.5 mktex scripts

If Kpathsea cannot otherwise find a file, for some file types it is configured by default to invoke an external program to create it dynamically (see Section 6.5.1 [mktex configuration], page 34). These are collectively known as `mktex` scripts, since most of them are named `mktex....`

For example, this is useful for fonts (bitmaps, TFM’s, and arbitrarily-sizable Metafont sources such as the Sauter and EC fonts), since any given document can use fonts never before referenced. Building all fonts in advance is therefore impractical, if not impossible.

It is also useful for the T_EX ‘`.fmt`’ (and Metafont ‘`.base`’ and Metapost ‘`.mem`’ files, see Section “Memory dumps” in `web2c`), where pre-generating every format consumes a lot of both time and space.

The script is passed the name of the file to create and possibly other arguments, as explained below. It must echo the full pathname of the file it created (and nothing else) to standard output; it can write diagnostics to standard error.

6.5.1 `mktex` configuration

The list of file types and program names that can run an external program to create missing files is listed in the next section. In the absence of `configure` options specifying otherwise, everything but `mktextex` will be enabled by default. The `configure` options to change the defaults are:

```
--without-mktexfmt-default
--without-mktexmf-default
--without-mktexocp-default
--without-mktexofm-default
--without-mktexpk-default
--without-mktextfm-default
--with-mktextex-default
```

The `configure` setting is overridden if the environment variable or configuration file value named for the script is set; e.g., `MKTEXPK` (see Section 6.5.3 [mktex script arguments], page 36).

`mktexfmt` reads a file `fmtutil.cnf`, typically located in `texmf/web2c/` to glean its configuration information. The rest of the files and features in this section are primarily intended for the font generation scripts.

As distributed, all the scripts source a file `texmf/web2c/mktex.cnf` if it exists, so you can override various defaults. See `mktex.opt`, for instance, which defines the default mode, resolution, some special directory names, etc. If you prefer not to change the distributed scripts, you can simply create `mktex.cnf` with the appropriate definitions (you do not need to create it if you have nothing to put in it). `mktex.cnf` has no special syntax; it's an arbitrary Bourne shell script. The distribution contains a sample `mktex.cnf` for you to copy and modify as you please (it is not installed anywhere).

In addition, you can configure a number of features with the `MT_FEATURES` variable, which you can define:

- in `mktex.opt`, as just mentioned;
- by editing the file `mktex.opt`, either before ‘`make install`’ (in the source hierarchy) or after (in the installed hierarchy);
- or in the environment.

If none of the options below are enabled, `mktexpk`, `mktextfm`, and `mktexmf` follow the following procedure to decide where fonts should be installed. Find the tree where the font's sources are, and test the permissions of the ‘`fonts`’ directory of that tree to determine whether it is writable. If it is, put the files in the tree in appropriate locations. If it isn't writable, see whether the tree is a system tree (named in `SYSTEXMF`). If so, the `VARTEXFONTS` tree is used. In all other cases the working directory is used.

The ‘`appendonlydir`’ option is enabled by default.

‘`appendonlydir`’

Tell `mktexdir` to create directories append-only, i.e., set their sticky bit (see Section “Mode Structure” in *GNU Core Utilities*). This feature is silently ig-

nored on non-Unix platforms (e.g. Windows/NT and MS-DOS) which don't support similar functionality. This feature is enabled by default.

'dosnames'

Use 8.3 names; e.g., `dpi600/cmr10.pk` instead of `cmr10.600pk`. Note that this feature only affects filenames that would otherwise clash with other TeX-related filenames; `mktex` scripts do nothing about filenames which exceed the 8+3 MS-DOS limits but remain unique when truncated (by the OS) to these limits, and neither do the scripts care about possible clashes with files which aren't related with TeX. For example, `cmr10.600pk` would clash with `cmr10.600gf` and is therefore changed when '`dosnames`' is in effect, but `mf.pool` and `mp.base` don't clash with any TeX-related files and are therefore unchanged.

This feature is turned on by default on MS-DOS. If you do not wish '`dosnames`' to be set on an MS-DOS platform, you need to set the `MT_FEATURES` environment variable to a value that doesn't include '`dosnames`'. You can also change the default setting by editing `mktex.opt`, but only if you use the `mktex` shell scripts; the emulation programs don't consult `mktex.opt`.

'fontmaps'

Instead of deriving the location of a font in the destination tree from the location of the sources, the aliases and directory names from the *Fontname* distribution are used. (see Section "Introduction" in *Fontname*).

'nomfdrivers'

Let `mktexpk` and `mktetfm` create metafont driver files in a temporary directory. These will be used for just one metafont run and not installed permanently.

'nomode'

Omit the directory level for the mode name; this is fine as long as you generate fonts for only one mode.

'stripsupplier'

Omit the font supplier name directory level.

'striptypeface'

Omit the font typeface name directory level.

'strip'

Omit the font supplier and typeface name directory levels. This feature is deprecated in favour of '`stripsupplier`' and '`striptypeface`'.

'varfonts'

When this option is enabled, fonts that would otherwise be written in system `texmf` tree go to the `VARTEXFONTS` tree instead. The default value in `kpathsea/Makefile.in` is `/var/tmp/texfonts`. The *Linux File System Standard* recommends `/var/tex/fonts`.

The '`varfonts`' setting in `MT_FEATURES` is overridden by the `USE_VARTEXFONTS` environment variable: if set to '1', the feature is enabled, and if set to '0', the feature is disabled.

'texmfvar'

Force generated files that would go into a system tree (as defined by `SYSTEXMF`) into `TEXMFVAR`. Starting with `teTeX-3.0`, the variable `TEXMFVAR` is always set. The '`varfonts`' feature takes precedence if also set.

The ‘texmfvar’ setting in `MT_FEATURES` is overridden by the `USE_TEXMFVAR` environment variable: if set to ‘1’, the feature is enabled, and if set to ‘0’, the feature is disabled.

6.5.2 `mktex` script names

The following table shows the default name of the script for each of the file types which support runtime generation.

<code>mktexfmt</code>	(‘.fmt’, ‘.base’, ‘.mem’) T _E X/Metafont/MetaPost formats. This script is also named <code>fmtutil</code> , and reads <code>fmtutil.cnf</code> for configuration information.
<code>mktexmf</code>	(‘.mf’) Metafont input files.
<code>mkocp</code>	(‘.ocp’) Omega compiled process files.
<code>mkofm</code>	(‘.ofm’) Omega font metric files.
<code>mktexpk</code>	(‘pk’) Glyph fonts.
<code>mktextex</code>	(‘.tex’) T _E X input files (disabled by default).
<code>mktextfm</code>	(‘.tfm’) TFM files.

These names can be overridden by an environment variable specific to the program; for example, `DVIPSMAKEPK` for `Dvipsk`.

If a `mktex...` script fails, the invocation is appended to a file `missfont.log` (by default) in the current directory. After fixing the problem, you can then execute the log file to create the missing files.

If the environment variable `TEXMF_OUTPUT_DIRECTORY` is set, `missfont.log` is first tried to be written there; if it’s not set, the current directory is tried first. If that first write fails and the environment variable or configuration file value `TEXMFOUTPUT` is set, we try to write `missfont.log` there. Otherwise nothing is written.

The base filename ‘`missfont.log`’ is overridden by the `MISSFONT_LOG` environment variable or configuration file value.

6.5.3 `mktex` script arguments

The first argument to a `mktex` script is always the name of the file to be created.

In the default `mktexpk` implementation, additional arguments may also be passed:

‘`--dpi num`’

Sets the resolution of the generated font to `num`.

‘`--mfmode name`’

Sets the Metafont mode to `name`.

‘`--bdpi num`’

Sets the “base dpi” for the font. This must match the mode being used.

‘`--mag string`’

A “magstep” string suitable for the Metafont `mag` variable. This must match the combination of `bdpi` and `dpi` being used.

‘`--destdir string`’

A directory name. If the directory is absolute, it is used as-is. Otherwise, it is appended to the root destination directory set in the script.

7 Programming

This chapter is for programmers who wish to use Kpathsea. See Chapter 1 [Introduction], page 1, for the conditions under which you may do so (in short, it is released under GPLv2.1 or later).

7.1 Programming overview

Aside from this manual, your best source of information is the source to the programs that use Kpathsea (see Chapter 1 [Introduction], page 1). First, `Kpsewhich` is a small utility program whose sole purpose is to exercise the main path-searching functionality. Of the drivers, `Dvilk` is probably the simplest full application program. `Xdvik` adds VF support and the complication of X resources. `Dvipsk` adds the complication of its own config files. `Web2c` is source code I also maintain, so it uses Kpathsea rather straightforwardly, but is of course complicated by the Web to C translation.

When looking at these program sources, you should know that previous versions of the library had a different programming interface; the current interface supports re-entrancy. Historically, the library function names were prefixed with `kpse_` instead of `kpathsea_`, and they did not need an instance variable as first argument. This change was made in 2009. The old functions will never disappear, and can reliably continue to be used when they suffice, as they do for the programs above. The main application using the re-entrant API is the MetaPost library used by MetaPost and LuaTeX.

Beyond these examples, the `.h` files in the Kpathsea source describe the interfaces and functionality (and of course the `.c` files define the actual routines, which are the ultimate documentation). `pathsearch.h` declares the basic searching routine. `tex-file.h` and `tex-glyph.h` define the interfaces for looking up particular kinds of files. In view of the way the headers depend on each other, it is recommended to use `#include <kpathsea/kpathsea.h>`, which includes every Kpathsea header.

If you want to include only specific headers, you should still consider including `kpathsea/config.h` before including any other Kpathsea header, as it provides symbols used in the other headers; `kpathsea/config.h` includes `kpathsea/c-auto.h`, which is generated by Autoconf.

The library provides no way for an external program to register new file types: `tex-file.[ch]` must be modified to do this. For example, Kpathsea has support for looking up Dvips config files, even though no program other than Dvips is likely to ever want to do so. I felt this was acceptable, since along with new file types should also come new defaults in `texmf.cnf` (and its descendant `paths.h`), since it's simplest for users if they can modify one configuration file for all kinds of paths.

Kpathsea does not parse any formats itself; it barely opens any files. Its primary purpose is to return filenames. The GNU font utilities package contains libraries to read TFM, GF, and PK files, as do the programs above, of course.

7.2 Calling sequence

The typical way to use Kpathsea in your program goes something like this:

1. Call `kpathsea_new` to create a new library instance. This variable must be passed as the first argument to all the following library functions. The rest of this manual will be using `kpse` as a placeholder for the name of this variable.
2. Call `kpathsea_set_program_name` with `argv[0]` as the second argument; the third argument is a string or `NULL`. The third argument is used by Kpathsea as the program name for the `.program` feature of config files (see Section 5.2.1 [Config files], page 10). If the third argument is `NULL`, the value of the second argument is used. This function must be called before any other use of the Kpathsea library.

`kpathsea_set_program_name` always sets the variables `kpse->invocation_name` and `kpse->invocation_short_name`. These variables are used in the error message macros defined in `kpathsea/lib.h`. It sets the variable `kpse->program_name` to the program name it uses.

It also initializes debugging options based on the environment variable `KPATHSEA_DEBUG` (if that is set).

Finally, it sets the environment variables `SELAUTOLOC`, `SELAUTODIR` and `SELAUTOPARENT` to the location, parent and grandparent directory of the executable, removing `.` and `..` path elements and resolving symbolic links. These are used in the default configuration file to allow people to invoke TeX from anywhere. You can use ‘`kpsewhich --expand-var=\$SELAUTOLOC`’, etc., to see the values.

3. Set debugging options. See Section 8.3 [Debugging], page 43. If your program doesn’t have a debugging option already, you can define one and set `kpse->debug` to the number that the user supplies (as in Dvijk and Web2c), or you can just omit this altogether (users can always set the `KPATHSEA_DEBUG` environment variable). If you do have runtime debugging already, you need to merge Kpathsea’s options with yours (as in Dvipsk and Xdvik).
4. If your program has its own configuration files that can define search paths, you should assign those paths to the `client_path` member in the appropriate element of the `kpse->format_info` array. (This array is indexed by file type; see `tex-file.h`.) See `resident.c` in Dvipsk for an example.
5. Call `kpathsea_init_prog` (see `proginits.c`). It’s useful for the DVI drivers, at least, but for other programs it may be simpler to extract the parts of it that actually apply. This does not initialize any paths, it just looks for (and sets) certain environment variables and other random information. Search paths are always initialized at the first call to find a file of a given type, not requiring an explicit initialization call; this eliminates much useless work, e.g., initializing the BibTeX search paths in a DVI driver.
6. The routine to actually find a file of type *format* is `kpathsea_find_file`. You can call `kpathsea_find_file` after doing only the first and second of the initialization steps above—Kpathsea automatically reads the `texmf.cnf` generic config files, looks for environment variables, and does expansions at the first lookup.
7. To find PK and/or GF bitmap fonts, the routine is `kpathsea_find_glyph`, defined in `tex-glyph.h`. This returns a structure in addition to the resultant filename, because fonts can be found in so many ways. See the documentation in the source.
8. Before opening a file, especially for writing, you should check if the filename is acceptable. See the next section (see Section 7.3 [Safe filenames], page 39).

9. To actually open a file, not just return a filename, call `kpathsea_open_file`. This function takes the name to look up and a Kpathsea file format as arguments, and returns the usual `FILE *`. It always assumes the file must exist, and thus will search the disk if necessary (unless the search path specified ‘!!’, etc.). In other words, if you are looking up a VF or some other file that need not exist, don’t use this.
10. To close the Kpathsea library instance you are using, call `kpathsea_finish`. This function closes any open log files and frees the memory used by the instance.

Kpathsea also provides many utility routines. Some are generic: hash tables, memory allocation, string concatenation and copying, string lists, reading input lines of arbitrary length, etc. Others are filename-related: default path, tilde, and variable expansion, `stat` calls, etc.

The `c-*.h` header files can also help your program adapt to many different systems. You will almost certainly want to use Autoconf and probably Automake for configuring and building your software if you use Kpathsea; I strongly recommend using Autoconf and Automake regardless. They are available from <https://gnu.org/software>.

7.3 Safe filenames

See Chapter 3 [Security], page 5, for some general security considerations with the `TeX` system.

In the implementation, the main security feature to disallow writing to potentially dangerous files is a configuration variable `openout_any`. It specifies one of three levels:

- When set to ‘a’ (for “any”), no restrictions are imposed.
- When is set to ‘r’ (for “restricted”), filenames beginning with ‘.’ are disallowed.
- When set to ‘p’ (for “paranoid”), additional restrictions are imposed.
 1. First, an absolute filename must refer to a file in (or in a subdirectory of) either the `TEXMF_OUTPUT_DIRECTORY` environment variable or the `TEXMFOUTPUT` environment variable or configuration file setting.
 2. Lua^LTeX uses a so-called “extended” mode, in which the values of `TEXMFVAR` and `TEXMFSYSPVAR` are also checked for absolute filenames. This is done because, in practice, fundamental parts of the Lua^LTeX system (notably `luaotfload`) need a cache directory, and historically the `TEXMF[SYS]VAR` variables are what has been used. We neither recommend nor expect any other programs to need this.
 3. Finally, any attempt to go up a directory level is forbidden; that is, paths may not contain a ‘..’ component.

The paranoid setting is the default. Any program intended to be safely called from `TeX` should implement the same measures, one way or another. See Section “Shell escapes” in `Web2c`.

Kpathsea does not resolve ‘..’ components, or symbolic links, to see if the final result is an acceptable directory; they are simply forbidden. That is, Kpathsea merely considers the value as a string, not looking on the filesystem at all. (However, if another program wants to do such resolutions and check the result, that’s ok; possibly preferable.)

For backwards compatibility, ‘y’ and ‘1’ are synonyms of ‘a’, while ‘n’ and ‘0’ are synonyms for ‘r’.

The function `kpathsea_out_name_ok`, with a filename as second argument, returns `true` if that filename is acceptable to be opened for output or `false` otherwise. The Kpsewhich program has an option ('`--safe-out-name`') providing a command line interface for the check.

For LuaTeX's extended mode, the function is `kpathsea_out_name_ok_extended`, and the Kpsewhich option is '`--safe-extended-out-name`'.

Although the analogous functions `kpathsea_in_name_ok` (resp. `_extended`, as well as the others below, exist to check a filename being acceptable for reading, as of 2026, they always return true without checking anything. This is because no other value was useful (or used) in practice. More comments about this are in the default `texmf.cnf`, at `openin_any` (which variable is defined, but is now ignored).

The functions above write a message to standard error if the usage is forbidden (so every caller does not have to do so). Each function has a `_silent` counterpart which does not write the message; this is what Kpsewhich calls, since messages would be counterproductive in that case. Thus:

```
kpathsea_out_name_ok_silent
kpathsea_out_name_ok_silent_extended
kpathsea_in_name_ok_silent
kpathsea_in_name_ok_silent_extended
```

Furthermore, there are `kpse...` versions of all the above functions (as usual), with the default library instance implicitly passed as the first argument. LuaTeX provides both `kpse.*` and `kpathsea.*` bindings, so it's good to always have both.

Sorry for the combinatorial explosion, but we hope no further options will ever be needed. If so, we'll likely provide a more generic interface as well as the above.

7.4 Program-specific files

Many programs will need to find some configuration files. Kpathsea contains some support to make it easy to place them in their own directories. The Standard TeX directory structure (see Section "Introduction" in *A Directory Structure for TeX files*), specifies that such files should go into a subdirectory named after the program, like '`texmf/ttf2pk`'.

Two formats, '`kpse_program_text_format`' and '`kpse_program_binary_format`', use `.:$TEXMF/program//` as their compiled-in search path. To override this default, you can use the variable `PROGRAMINPUTS` in the environment and/or '`texmf.cnf`'. That is to say, the name of the variable is constructed by converting the name of the program to upper case, and appending `INPUTS`.

The only difference between these two formats is whether `kpathsea_open_file` will open the files it finds in text or binary mode.

7.5 Programming with config files

You can (and probably should) use the same `texmf.cnf` configuration file that Kpathsea uses for your program. This helps installers by keeping all configuration in one place.

To retrieve a value for a configuration variable `var`, the best way is to call `kpathsea_var_value` on the string `var`. This will look first for an environment variable `var`, then a config file value. The result will be the value found or '`NULL`'. This function

is declared in `kpathsea/variable.h`. For an example, see the `shell_escape` code in `web2c/lib/texmfmp.c`.

The routine to do full variable and tilde expansion of an arbitrary string in the context of a search path (as opposed to simply retrieving a value) is `kpathsea_var_expand`, also declared in `kpathsea/variable.h`. However, it's generally only necessary to set the search path structure components as explained in the previous section instead of using this directly. Because of its usage with any input string, undefined `$FOO` constructs in the argument to `kpathsea_var_expand` are returned literally ("`$FOO`"), while undefined `${FOO}` constructs are expanded to the empty string.

If for some reason you want to retrieve a value *only* from a config file, not automatically looking for a corresponding environment variable, call `kpathsea_cnf_get` (declared in `kpathsea/cnf.h`) with the string `var`.

No initialization calls are needed.

8 Reporting bugs

If you have problems or suggestions, please report them to `tex-k@tug.org` using the bug checklist below.

Please report bugs in the documentation; not only factual errors or inconsistent behavior, but unclear or incomplete explanations, typos, wrong fonts, . . .

8.1 Bug checklist

Before reporting a bug, please check below to be sure it isn't already known (see Section 8.5 [Common problems], page 45).

Bug reports should be sent via electronic mail to `tex-k@tug.org`.

The general principle is that a good bug report includes all the information necessary for reproduction. Therefore, to enable investigation, your report should include the following:

- The version number(s) of the program(s) involved, and of Kpathsea itself. You can get the former by giving a sole option ‘`--version`’ to the program, and the latter by running ‘`kpsewhich --version`’. The `NEWS` and `ChangeLog` files also contain the version number.
- The hardware, operating system (including version), compiler, and `make` program you are using (the output of `uname -a` is a start on the first two, though incomplete).
- Any options you gave to `configure`. This is recorded in the `config.status` files.

If you are reporting a bug in ‘`configure`’ itself, it’s probably system-dependent, and it will be unlikely the maintainers can do anything useful if you merely report that thus-and-such is broken. Therefore, you need to do some additional work: for some bugs, you can look in the file `config.log` where the test that failed should appear, along with the compiler invocation and source program in question. You can then compile it yourself by hand, and discover why the test failed. Other ‘`configure`’ bugs do not involve the compiler; in that case, the only recourse is to inspect the `configure` shell script itself, or the Autoconf macros that generated `configure`.

- The log of all debugging output, if the bug is in path searching. You can get this by setting the environment variable `KPATHSEA_DEBUG` to ‘`-1`’ before running the program. Please look at the log yourself to make sure the behavior is really a bug before reporting it; perhaps “old” environment variable settings are causing files not to be found, for example.
- The contents of any input files necessary to reproduce the bug. For bugs in DVI-reading programs, for example, this generally means a DVI file (and any EPS or other files it uses)—`TeX` source files are helpful, but the DVI file is required, because that’s the actual program input.
- If you are sending a patch (do so if you can!), please do so in the form of a context diff (‘`diff -c`’) against the original distribution source. Any other form of diff is either not as complete or harder for me to understand. Please also include a `ChangeLog` entry.
- If the bug involved is an actual crash (i.e., core dump), it is easy and useful to include a stack trace from a debugger (I recommend the GNU debugger GDB (<https://gnu.org/software/gdb>)). If the cause is apparent (a `NULL` value being dereferenced, for example), please send the details along. If the program involved is `TeX` or Metafont,

and the crash is happening at apparently-sound code, however, the bug may well be in the compiler, rather than in the program or the library (see Section 8.5.4 [TeX or Metafont failing], page 47).

- Any additional information that will be helpful in reproducing, diagnosing, or fixing the bug.

8.2 Mailing lists

Web2c and Kpathsea in general are discussed on the mailing list `tex-k@tug.org`. You can subscribe and peruse the archives on the web <https://lists.tug.org/tex-k>.

You do not need to join to submit a report, nor will it affect whether you get a response. Be aware that large data files are sometimes included in bug reports. If this is a problem for you, do not join the list.

If you are looking for general TeX help, such as how to install a full TeX system or how to use L^AT_EX, please see <https://tug.org/begin.html>.

8.3 Debugging

Kpathsea provides a number of runtime debugging options, detailed below by their names and corresponding numeric values. When the files you expect aren't being found, the thing to do is enable these options and examine the output.

You can set these with some runtime argument (e.g., `'-d'`) to the program; in that case, you should use the numeric values described in the program's documentation (which, for Dvipsk and Xdvik, are different than those below). It's best to give the `'-d'` (or whatever) option first, for maximal output. Dvipsk and Xdvik have additional program-specific debugging options as well.

You can also set the environment variable `KPATHSEA_DEBUG`; in this case, you should use the numbers below. If you run the program under a debugger and set the instance variable `kpse->debug`, also use the numbers below.

In any case, by far the simplest value to use is `'-1'`, which will turn on all debugging output. This is usually better than guessing which particular values will yield the output you need.

Debugging output always goes to standard error, so you can redirect it easily. For example, in Bourne-compatible shells:

```
dvips -d -1 ... 2>/tmp/debug
```

It is sometimes helpful to run the standalone Kpsewhich utility (see Section 5.6 [Invoking kpsewhich], page 19), instead of the original program.

In any case, you cannot use the names below; you must always use somebody's numbers. (Sorry.) To set more than one option, just sum the corresponding numbers.

KPSE_DEBUG_STAT (1)

Report `'stat'`(2) calls. This is useful for verifying that your directory structure is not forcing Kpathsea to do many additional file tests (see Section 8.5.2 [Slow path searching], page 46, and see Section 5.3.6 [Subdirectory expansion], page 14). If you are using an up-to-date `ls-R` database (see Section 5.5 [Filename database], page 17), this should produce no output unless a nonexistent file that must exist is searched for.

KPSE_DEBUG_HASH (2)

Report lookups in all hash tables: `ls-R` and `aliases` (see Section 5.5 [Filename database], page 17); font aliases (see Section 6.3.2 [Fontmap], page 32); and config file values (see Section 5.2.1 [Config files], page 10). Useful when expected values are not being found, e.g., file searches are looking at the disk instead of using `ls-R`.

KPSE_DEBUG_FOPEN (4)

Report file openings and closings. Especially useful when your system's file table is full, for seeing which files have been opened but never closed. In case you want to set breakpoints in a debugger: this works by redefining '`fopen`' ('`fclose`') to be '`kpse_fopen_trace`' ('`kpse_fclose_trace`').

KPSE_DEBUG_PATHS (8)

Report general path information for each file type Kpathsea is asked to search. This is useful when you are trying to track down how a particular path got defined—from `texmf.cnf`, `config.ps`, an environment variable, the compile-time default, etc. This is the contents of the `kpse_format_info_type` structure defined in `tex-file.h`.

KPSE_DEBUG_EXPAND (16)

Report the directory list corresponding to each path element Kpathsea searches. This is only relevant when Kpathsea searches the disk, since `ls-R` searches don't look through directory lists in this way.

KPSE_DEBUG_SEARCH (32)

Report on each file search: the name of the file searched for, the path searched in, whether or not the file must exist (when drivers search for `cmr10.vf`, it need not exist), and whether or not we are collecting all occurrences of the file in the path (as with, e.g., `texmf.cnf` and `texfonts.map`), or just the first (as with most lookups). This can help you correlate what Kpathsea is doing with what is in your input file.

KPSE_DEBUG_VARS (64)

Report the value of each variable Kpathsea looks up. This is useful for verifying that variables do indeed obtain their correct values.

GSFTOPK_DEBUG (128)

Activates debugging printout specific to `gsftopk` program.

MAKETEX_DEBUG (512)

If you use the optional `mktex` programs instead of the traditional shell scripts, this will report the name of the site file (`mktex.cnf` by default) which is read, directories created by `mktexdir`, the full path of the `ls-R` database built by `mktexlsr`, font map searches, `MT_FEATURES` in effect, parameters from `mktexnam`, filenames added by `mktexupd`, and some subsidiary commands run by the programs.

MAKETEX_FINE_DEBUG (1024)

When the optional `mktex` programs are used, this will print additional debugging info from functions internal to these programs.

Debugging output from Kpathsea is always written to standard error, and begins with the string ‘`kdebug:`’. (Except for hash table buckets, which just start with the number, but you can only get that output running under a debugger. See comments at the `hash_summary_only` variable in `kpathsea/db.c`.)

8.4 Logging

Kpathsea can record the time and filename found for each successful search. This may be useful in finding good candidates for deletion when your filesystem is full, or in discovering usage patterns at your site.

To do this, define the environment or config file variable `TEXMFLOG`. The value is the name of the file to append the information to. The file is created if it doesn’t exist, and appended to if it does.

Each successful search turns into one line in the log file: two words separated by a space. The first word is the time of the search, as the integer number of seconds since “the epoch”, i.e., UTC midnight 1 January 1970 (more precisely, the result of the `time` system call). The second word is the filename.

For example, after `setenv TEXMFLOG /tmp/log`, running `Dvips` on `story.dvi` appends the following lines:

```
774455887 /usr/local/share/texmf/dvips/config.ps
774455887 /usr/local/share/texmf/dvips/psfonts.map
774455888 /usr/local/share/texmf/dvips/texc.pro
774455888 /usr/local/share/texmf/fonts/pk/ljfour/public/cm/cmbx10.600pk
774455889 /usr/local/share/texmf/fonts/pk/ljfour/public/cm/cmsl10.600pk
774455889 /usr/local/share/texmf/fonts/pk/ljfour/public/cm/cmr10.600pk
774455889 /usr/local/share/texmf/dvips/texc.pro
```

Only filenames that are absolute are recorded, to preserve some semblance of privacy.

In addition to this Kpathsea-specific logging, `pdftex` provides an option `-recorder` to write the names of all files accessed during a run to the file `basefile.fls`.

Finally, most systems provide a general tool to output each system call, thus including opening and closing files. It might be named `strace`, `truss`, `struss`, or something else.

8.5 Common problems

Here are some common problems with configuration, compilation, linking, execution, . . .

8.5.1 Unable to find files

If a program complains it cannot find fonts (or other input files), any of several things might be wrong. In any case, you may find the debugging options helpful. See Section 8.3 [Debugging], page 43.

- Perhaps you simply haven’t installed all the necessary files; the basic fonts and input files are distributed separately from the programs. See Chapter 2 [unixtex.ftp], page 4.
- You have (perhaps unknowingly) told Kpathsea to use search paths that don’t reflect where the files actually are. One common cause is having environment variables set from a previous installation, thus overriding what you carefully set in `texmf.cnf` (see

Section 6.1 [Supported file formats], page 27). System `/etc/profile` or other files such may be the culprit.

- Your files reside in a directory that is only pointed to via a symbolic link within a leaf directory, and is not listed in `ls-R`.

Unfortunately, Kpathsea's subdirectory searching has a problematic deficiency: If a directory *d* being searched for subdirectories contains symbolic links to other directories (and possibly other plain files or symlinks), but no true subdirectories, by default *d* will be considered a leaf directory, i.e., the symbolic links will not be followed. See Section 5.3.6 [Subdirectory expansion], page 14.

You can work around this problem by creating an empty dummy subdirectory in *d*. Then *d* will no longer be a leaf, and the symlinks will be followed.

Another workaround is to set the configuration variable `kpse_ignore_nlink_for_leaf` to 1. Then Kpathsea will look at all entries in all directories in determining whether they are (symlinks to) subdirectories. This is not the default because it is considerably expensive to consider the contents of every leaf directory.

The directory immediately followed by the ‘//’ in the path specification is always searched for subdirectories, even if it is a leaf. Presumably you would not have asked for the directory to be searched for subdirectories if you didn't want it to be.

- If the fonts (or whatever) don't already exist, `mktexpk` (or `mktexmf` or `mktextrfm`) will try to create them. If these rather complicated shell scripts fail, you'll eventually get an error message saying something like ‘Can't find font *fontname*’. The best solution is to fix (or at least report) the bug in `mktexpk`; the workaround is to generate the necessary fonts by hand with Metafont, or to grab them from a CTAN site (see Chapter 2 [unixtex.ftp], page 4).
- There is a bug in the library. See Chapter 8 [Reporting bugs], page 42.

8.5.2 Slow path searching

If your program takes an excessively long time to find fonts or other input files, but does eventually succeed, here are some possible culprits:

- Most likely, you just have a lot of directories to search, and that takes a noticeable time. The solution is to create and maintain a separate `ls-R` file that lists all the files in your main T_EX hierarchy. See Section 5.5 [Filename database], page 17. Kpathsea always uses `ls-R` if it's present; there's no need to recompile or reconfigure any of the programs.
- Your recursively-searched directories (e.g., `/usr/local/share/texmf/fonts//`), contain a mixture of files and directories. This prevents Kpathsea from using a useful optimization (see Section 5.3.6 [Subdirectory expansion], page 14).

It is best to have only directories (and perhaps a `README`) in the upper levels of the directory structure, and it's very important to have *only* files, and no subdirectories, in the leaf directories where the dozens of TFM, PK, or whatever files reside.

In any case, you may find the debugging options helpful in determining precisely when the disk or network is being pounded. See Section 8.3 [Debugging], page 43.

8.5.3 Unable to generate fonts

Metafont outputs fonts in bitmap format, tuned for a particular device at a particular resolution, in order to allow for the highest-possible quality of output. Some DVI-to-whatever programs, such as Dvips, try to generate these on the fly when they are needed, but this generation may fail in several cases.

If `mktexpk` runs, but fails with this error:

```
mktexpk: Can't guess mode for nnn dpi devices.
mktexpk: Use a config file to specify the mode, or update me.
```

you need to ensure the resolution and mode match; just specifying the resolution, as in `-D 360`, is not enough.

You can specify the mode name with the `-mode` option on the Dvips command line, or in a Dvips configuration file (see Section “Config files” in *Dvips*), such as `config.ps` in your document directory, `~/.dvipsrc` in your home directory, or in a system directory (again named `config.ps`). (Other drivers use other files, naturally.)

For example, if you need 360 dpi fonts, you could include this in a configuration file:

```
D 360
M lqmed
```

If Metafont runs, but generates fonts at the wrong resolution or for the wrong device, most likely `mktexpk`’s built-in guess for the mode is wrong, and you should override it as above.

See <https://ctan.org/pkg/modes> for a list of resolutions and mode names for most devices (additional submissions are welcome).

If Metafont runs but generates fonts at a resolution of 2602 dpi (and prints out the name of each character as well as just a character number, and maybe tries to display the characters), then your Metafont base file probably hasn’t been made properly. (It’s using the default `proof` mode, instead of an actual device mode.) To make a proper `plain.base`, assuming the local mode definitions are contained in a file `modes.mf`, run the following command (assuming Unix):

```
inimf "plain; input modes; dump"
```

Then copy the `plain.base` file from the current directory to where the base files are stored on your system (`/usr/local/share/texmf/web2c` by default), and make a link (either hard or soft) from `plain.base` to `mf.base` in that directory. See Section “inimf invocation” in *Web2c*.

If `mf` is a command not found at all by `mktexpk`, then you need to install Metafont (see Chapter 2 [unixtex.ftp], page 4).

8.5.4 T_EX or Metafont failing

If T_EX or Metafont get a segmentation fault or otherwise fail while running a normal input file, the problem is usually a compiler bug (unlikely as that may sound). Even if the trip and trap tests are passed, problems may lurk. Optimization occasionally causes trouble in programs other than T_EX and Metafont themselves, too.

For a workaround, if you enabled any optimization flags, it’s best to omit optimization entirely. In any case, the way to find the facts is to run the program under the debugger and see where it’s failing.

Also, if you have trouble with a system C compiler, I advise trying the GNU C compiler. And vice versa, unfortunately; but in that case I also recommend reporting a bug to the GCC mailing list; see Section “Bugs” in *Using and Porting GNU CC*.

To report compiler bugs effectively requires perseverance and perspicacity: you must find the miscompiled line, and that usually involves delving backwards in time from the point of error, checking through TEX’s (or whatever program’s) data structures. Good luck.

Index

!

!! and casefolding 16
 !! in path specifications 18
 !! in `TEXMFDBS` 17

\$

`$` expansion 13

—

--all 20
 --casefold-search 20
 --cnf-line 20
 '--cnf-line', source for path 10
 --color=tty 17
 --debug=num 25
 --dpi=num 21
 --engine=name 21
 --expand-braces=string 25
 --expand-path=string 25
 --expand-var=string 25
 --format=name 21
 --help 26
 --help-formats 25
 --interactive 23
 --mktex=filetype 23
 --mode=string 23
 --must-exist 23
 --no-casefold-search 20
 --no-mktex=filetype 23
 --path=string 23
 --progname=name 23
 --safe-extended-in-name=name 26
 --safe-extended-out-name=name 26
 --safe-in-name=name 26
 --safe-out-name=name 26
 --show-path=name 26
 --subdir=string 23
 --var-brace-value=variable 26
 --var-value=variable 26
 --version 26
 --with-mktextex-default 34
 --without-mktexfmt-default 34
 --without-mktexmf-default 34
 --without-mktexocp-default 34
 --without-mktexofm-default 34
 --without-mktexpk-default 34
 --without-mktexfm-default 34
 -1 debugging value 43
 -A option to `ls` 18
 -D num 21
 -iname, find predicate 16
 -L option to `ls` 18

. directories, ignored 18
 . files 18
 .2602gf 47
 .afm 27
 .base 27
 .bib 27
 .bltxml 27
 .bst 27
 .cid 28
 .cmap 27
 .cnf 27
 .dll 27
 .enc 28
 .eps 28
 .epsi 28
 .fea 28
 .fmt 28
 .ist 28
 .lig 28
 .lua 28
 .luatex 28
 .luc 28
 .luctex 28
 .map 28
 .mem 28
 .mf 28
 .mft 28
 .mlbib 28
 .mlbst 28
 .mp 29
 .ocp 29
 .ofm 29
 .opl 29
 .otp 29
 .ovf 29
 .ovp 29
 .pfa 30
 .pfb 30
 .pk 29
 .pool 28, 29
 .pro 29
 .profile, (un)writable by TeX 5
 .progname qualifier in `texmf.cnf` 11
 .ris 29
 .sfd 29
 .so 27
 .tex 29
 .tex file, included in `ls-R` 18
 .texlua 28
 .texluc 28
 .tfm 30
 .tlu 28
 .ttc 30

.ttf.....	30
.vf.....	30
.w.....	27
.web.....	27, 30

/

/ may not be /.....	9
/, trailing in home directory.....	13
//.....	14
/etc/profile.....	45
/etc/profile and aliases.....	17
/var/tmp/texfonts.....	35

:

: may not be :.....	9
:: expansion.....	12

;

; translated to ‘:’ in <code>texmf.cnf</code>	11
---	----

—

= omitted in <code>texmf.cnf</code> and misparsing	11
--	----

\

\, line continuation in <code>texmf.cnf</code>	11
\openin	9
\openout	5
\special, suppressing warnings about.....	33

{

{ expansion.....	14
------------------	----

~

~ expansion.....	13
------------------	----

2

2602gf.....	47
-------------	----

8

8.3 filenames, using	35
----------------------------	----

A

absolute filenames.....	9
access system call.....	17
access warnings.....	10
AFMFONTS	27
aliases for fonts.....	32
aliases, for filenames	18
all.....	33
all matches, finding	20
alphabetical order, not	14
announcement mailing list	43
API, re-entrant	37
append-only directories and <code>mktexpk</code>	5
appendonlydir	34
Apple filesystem, case-insensitive	15
arguments to <code>mktex</code>	36
<code>argv[0]</code>	38
<code>autoconf</code> , recommended	39
autounumber, and <code>ls-R</code>	18
auxiliary tasks	25

B

Bach, Johann Sebastian.....	12
backslash-newline	11
basic glyph lookup	31
Berry, Karl	1
BIBINPUTS	27, 28
blank lines, in <code>texmf.cnf</code>	11
BLTXMLINPUTS	27
brace expansion	14
Breitenlohner, Peter	2
BSTINPUTS	27, 28
bug address	42
bug checklist	42
bug mailing list	43
bugs, reporting	42

C

c-*. <code>h</code>	39
c-auto. <code>h</code>	37
cache of fonts, local	5
calling sequence	37
casefolding examples	15
casefolding fallback rationale	15
casefolding search	15
ChangeLog entry	42
checklist for bug reports	42
checksum	33
circle fonts	32
client_path in <code>kpse->format_info</code>	38
CLUAINPUTS	27
CMAFPONTS	27
cmr10, as fallback font	33
cmr10.vf	9
cnf.c	12
cnf.h	41

comments, in fontmap files	32	DVIPSFONTS	30
comments, in <code>texmf.cnf</code>	11	DVIPSHEADERS	30
comments, making	1	DVIPSMAKEPK	36
common features in glyph lookup	31	DVIPSIZES	33
common problems	45	dynamic creation of files	33
compilation value, source for path	10		
compiler bugs	47		
compiler bugs, finding	48		
conditions for use	1		
config files	10		
config files, for Kpathsea-using programs	38		
config files, programming with	40		
<code>config.h</code>	37		
<code>config.log</code>	42		
<code>config.ps</code>	24		
<code>config.ps</code> , search path for	28		
<code>config.status</code>	42		
configuration bugs	42		
configuration file, source for path	10		
configuration of <code>mktex</code> scripts	34		
<code>configure</code> options for <code>mktex</code> scripts	34		
ConTeXt and (no) security	5		
context diff	42		
continuation character	11		
core dumps, reporting	42		
crashes of TeX and security	5		
crashes, reporting	42		
CWEBINPUTS	27		

D

database search	9
database, for filenames	17
database, format of	18
<code>debug.h</code>	43
debugger	42
debugging	43
debugging options, in Kpathsea-using program	38
debugging output	43
default expansion	12
<code>default_teksizes</code>	33
device, wrong	47
directories, making append-only	34
directory permissions	6
directory structure, for TeX files	7
disabling <code>mktex</code> scripts	34
disk search	9
disk searching, avoiding	18
disk usage, reducing	45
<code>doc files</code>	29
DOS compatible names	35
<code>dosnames</code>	35
dot files	18
doubled colons	12
<code>dpinnn</code> directories	35
DVILJMAKEPK	36
DVILJSIZES	33
<code>dvipdfmx.cfg</code>	24

E

EC fonts, and dynamic source creation	33
<code>elt-dirs.c</code>	15
enabling <code>mktex</code> scripts	34
<code>ENCFONTS</code>	28
engine name	21
environment variable, source for path	10
environment variables for TeX	27
environment variables in paths	13
environment variables, old	45
epoch, seconds since	45
error message macros	38
examples, of casefolding searches	15
examples, of running <code>kpsewhich</code>	19
excessive startup time	46
<code>expand.c</code>	14
expanding symlinks	38
expansion, default	12
expansion, path element	9
expansion, search path	12
expansion, subdirectory	14
expansion, tilde	13
expansion, variable	13
explicitly relative filenames	9
extensions, filename	31
externally-built filename database	17
extra colons	12

F

failed <code>mktex...</code> script invocation	36
fallback font	33
fallback resolutions	33
FAQ, Kpathsea	45
Farwell, Matthew	14
file formats, supported	27
file lookup	30
file permissions	6
file types, registering new	37
filename aliases	18
filename database	17
filenames, absolute or explicitly relative	9
files, unable to find	45
filesystem search	9
filesystem, case-(in)sensitive	15
Findutils, GNU package	16
floating directories	9
<code>fmtutil</code>	36
<code>fmtutil.cnf</code>	24
<code>fmtutils.cnf</code>	34
font alias files	32

font generation failures	47
font of last resort	33
font set, infinite	33
FONTCIDMAPS	28
FONTFEATURES	28
fontmap files	32
fontmaps	35
fontname	35
fontnames, arbitrary length	32
FOOINPUTS	30
fopen , redefined	44
format of external database	18
ftp.cs.stanford.edu	4
ftp.tug.org	4
fundamental purpose of Kpathsea	1

G

gdb , recommended	42
gf	28
GFFONTS	28
globally writable directories	5
glyph lookup	31
glyph lookup bitmap tolerance	31
GLYPHFONTS	28, 29
glyphlist.txt	24
GNU C compiler bugs	47
GNU General Public License	1
group-writable directories	6
GSFTOPK_DEBUG (128)	44

H

hash table buckets, printing	45
hash table routines	39
hash_summary_only variable for debugging	45
history of Kpathsea	1
Hoekwater, Taco	2
home directories in paths	13
HOME , as ~ expansion	13

I

identifiers, characters valid in	11
include fontmap directive	32
INDEXSTYLE	28
input lines, reading	39
interactive query	23
interface, not frozen	1
introduction	1

K

'kdebug'	45
kdefault.c	13
Knuth, Donald E.	1
Knuth, Donald E., archive of programs by	4
Kpathsea config file, source for path	10
kpathsea.h	37
kpathsea_cnf_get	41
kpathsea_find_file	31, 38
kpathsea_find_glyph	31, 38
kpathsea_finish	39
kpathsea_in_name_ok	40
kpathsea_in_name_ok_extended	40
kpathsea_in_name_ok_silent	40
kpathsea_in_name_ok_silent_extended	40
kpathsea_init_prog	33, 38
kpathsea_new	38
kpathsea_open_file	39
kpathsea_out_name_ok	39
kpathsea_out_name_ok_extended	40
kpathsea_out_name_ok_silent	40
kpathsea_out_name_ok_silent_extended	40
kpathsea_set_program_name	38
kpathsea_var_value	40
KPATHSEA_DEBUG	38, 43
KPATHSEA_WARNING	10
kpse mode of LuaTeX	5
kpse->debug	43
kpse->debug variable	38
kpse->format_info	38
kpse->invocation_name	38
kpse->invocation_short_name	38
kpse->program_name	38
kpse_format_info_type	44
KPSE_BITMAP_TOLERANCE	31
KPSE_DEBUG_EXPAND (16)	44
KPSE_DEBUG_FOPEN (4)	44
KPSE_DEBUG_HASH (2)	44
KPSE_DEBUG_PATHS (8)	44
KPSE_DEBUG_SEARCH (32)	44
KPSE_DEBUG_STAT (1)	43
KPSE_DEBUG_VARS (64)	44
KPSE_DOT expansion	14
kpsewhich	19
kpsewhich examples	19
Kpsewhich, and debugging	43

L

last-resort font	33
lcircle10	32
leading colons	12
leaf directories wrongly guessed	46
leaf directory trick	14
license for using the library	1
LIGFONTS	28
lines, reading arbitrary-length	39
Linux File System Standard	35

local cache of fonts	5
log file	45
logging successful searches	45
lost+found directory	10
lostchar	33
ls-R	28
ls-R database file	17
ls-R , simplest build	17
LUAINPUTS	28
luaotfload	39
LuaTeX and security	5
multiple TeX hierarchies	14
must exist	9

M

Mac filesystem, case-insensitive	15
MacKenzie, David	2, 14
magic characters	9
mailing lists	43
MAKETEX_DEBUG (512)	44
MAKETEX_FINE_DEBUG (1024)	44
memory allocation routines	39
metafont driver files	35
Metafont failures	47
Metafont installation	47
Metafont making too-large fonts	47
Metafont using the wrong device	47
MFBASES	27
MFINPUTS	28
MFPOOL	28
MFTINPUTS	28
MISCFONTS	28
mismatched checksum warnings	33
missfont.log	36
MISSFONT_LOG	36
missing character warnings	33
mkocp	36
mkofm	36
mktex script configuration	34
mktex script names	36
mktex scripts	33
mktex.cnf	24, 34
mktex.opt	34
mktexdir	34
mktexfmt	36
mktexmf	36
mktexpk	36
mktexpk can't guess mode	47
mktextex	36
mktextfm	36
MLBIBINPUTS	28
MLBSTINPUTS	28
mode directory, omitting	35
Morgan, Tim	1
MPINPUTS	29
MPMEMS	28
MPOOL	29
MPSUPPORT	28
MT_FEATURES	34
multiple TeX hierarchies	14
names for mktex scripts	36
Neumann, Gustaf	2
NFS and ls-R	18
nomfdrivers	35
nomode	35
none	33
null pointers, dereferencing	42
numeric debugging values	43
obtaining TeX	4
OCPINPUTS	29
OFMFONTS	29
online Metafont display, spurious	47
openin_any	40
openout_any	39
OPENTYPEFONTS	29
optimization caveat	47
options for debugging	43
OTPINPUTS	29
overview of path searching	9
overview of programming with Kpathsea	37
OVFFONTS	29
OVPFONTS	29
paranoid mode, for output files	39
path expansion	12
path searching	9
path searching options	20
path searching, overview	9
path searching, standalone	19
path sources	10
pathsearch.h	37
pc Pascal compiler	1
pdffglyphlist.txt	24
pdftex.cfg	25
pdftexconfig.tex	25
PDFTEXCONFIG	29
permission denied	10
permissions, directory	6
permissions, file	6
PKFONTS	29
plain.base	47
privacy, semblance of	45
problems, common	45
proginit.h	38
program-varying paths	27
programming overview	37
programming with config files	40
programming with Kpathsea	37

N

names for mktex scripts	36
Neumann, Gustaf	2
NFS and ls-R	18
nomfdrivers	35
nomode	35
none	33
null pointers, dereferencing	42
numeric debugging values	43

O

obtaining TeX	4
OCPINPUTS	29
OFMFONTS	29
online Metafont display, spurious	47
openin_any	40
openout_any	39
OPENTYPEFONTS	29
optimization caveat	47
options for debugging	43
OTPINPUTS	29
overview of path searching	9
overview of programming with Kpathsea	37
OVFFONTS	29
OVPFONTS	29

P

paranoid mode, for output files	39
path expansion	12
path searching	9
path searching options	20
path searching, overview	9
path searching, standalone	19
path sources	10
pathsearch.h	37
pc Pascal compiler	1
pdffglyphlist.txt	24
pdftex.cfg	25
pdftexconfig.tex	25
PDFTEXCONFIG	29
permission denied	10
permissions, directory	6
permissions, file	6
PKFONTS	29
plain.base	47
privacy, semblance of	45
problems, common	45
proginit.h	38
program-varying paths	27
programming overview	37
programming with config files	40
programming with Kpathsea	37

programs using the library 1
 proof mode 47
PSHEADERS 29
pxp Pascal preprocessor 1

Q

quoting variable values 13

R

rationale for casefolding fallback 15
 re-entrant API 37
readable 33
 reading arbitrary-length lines 39
 recording successful searches 45
 relative filenames 9
 reporting bugs 42
resident.c 38
 resolution, setting 21
 resolutions, last-resort 33
 restricted mode, for output files 39
 retrieving **T_EX** 4
 right-hand side of variable assignments 11
RISINPUTS 29
 Rokicki, Tom 1
root user 13
 runtime configuration files 10
 runtime debugging 43

S

Sauter fonts, and dynamic source creation 33
 scripts for file creation 33
 search path, defined 9
 search, case-insensitive 15
 searching for files 30
 searching for glyphs 31
 searching overview 9
 searching the database 9
 searching the disk 9
 security considerations 5
SELFAUTODIR 38
SELFAUTOLOC 38
SELFAUTOPARENT 38
 sending patches 42
 setgid scripts 6
SFDFONTS 29
 shell commands, security 5
 shell variables 13
shell_escape, example for code 40
 site overrides for **mktex** 34
 skeleton **T_EX** directory 7
 slow startup time 46
source files 29
 sources for search paths 10
special 33
st_nlink 14

stack trace 42
 standalone path searching 19
 standard error and debugging output 43
 standard options 26
 startup time, excessive 46
 string routines 39
strip 35
stripsupplier 35
striptypeface 35
 subdirectory searching 14
 suffixes, filename 31
 suggestions, making 1
 Sun 2 1
 supplier directory, omitting 35
 supported file formats 27
 suppressing warnings 33
 symbolic links not found 46
 symbolic links, and **ls-R** 18
 symlinks, resolving 38
 system C compiler bugs 47
 system-dependent casefolding behavior 15

T

T1FONTS 30
T1INPUTS 30
T42FONTS 30
tcfmgr.map 25
TDS 7
tex-file.c 31
tex-file.h 37
tex-glyph.c 31
tex-glyph.h 37
tex-k@tug.org 43
tex-k@tug.org (bug address) 42
tex.web 4
T_EX directory structure 7
T_EX environment variables 27
T_EX failures 47
T_EX file lookup 30
T_EX glyph lookup 31
T_EX support 27
T_EX Users Group 1
TEX_HUSH 10, 33
TEXBIB 27, 28
TEXCONFIG 28
TEXDOCS 29
TEXFONTMAPS 28
texfonts.map 32
TEXFONTS 28, 29, 30
TEXFORMATS 28
TEXINDEXSTYLE 28
TEXINPUTS 28, 29
texmf.cnf 25
texmf.cnf missing, warning about 10
texmf.cnf, and variable expansion 13
texmf.cnf, definition for 10
texmf.cnf, source for path 10

texmf_casifold_search	15	unreadable files	10
TEXMF_OUTPUT_DIRECTORY , and <code>missfont.log</code>	36	unrestricted mode, for output files	39
TEXMF_OUTPUT_DIRECTORY , and paranoid output files	39	unable <code>ls-R</code> warning	18
TEXMFCONF	10, 27	usage patterns, finding	45
TEXMFDBS	17, 28	USE_TEXMFVAR	35
TEXMFINI	27, 28	USE_VARTEXFONTS	35
TEXMFLOG	45	USERPROFILE , as <code>~</code> expansion	13
TEXMFOUTPUT , and <code>missfont.log</code>	36		
TEXMFOUTPUT , and paranoid output files	39		
TEXMFSCRIPTS	29		
TEXMFSYVAR	39		
texmfvar	35		
TEXMF	7		
TEXMFVAR	35, 39		
TEXPICTS	28		
TEXPKS	29		
TEXPOOL	29		
TEXPSHEADERS	29, 30		
TEXSIZES	33		
TEXSOURCES	29		
TFMFONTS	30		
tilde expansion	13		
tilde.c	13		
time system call	45		
tolerance for glyph lookup	31		
trailing ‘/’ in home directory	13		
trailing colons	12		
translations, of path searching description	9		
TRFONTS	30		
trick for detecting leaf directories	14		
trojan horse	39		
trojan horse attack	5		
try_std_extension_first	31		
TTFONTS	30		
tug.org	4		
typeface directory, omitting	35		

U

unable to find files	45
unable to generate fonts	47
uname	42
unixtex.ftp	4
unknown special warnings	33
unreadable file warnings	33

V

varfonts	35
variable expansion	13
variable.c	13
variable.h	40
VARTEXFONTS	35
VAX 11/750	1
version numbers, determining	42
VF files, not found	9
VFFONTS	30
Vojta, Paul	2

W

Walsh, Norman	2
warning about unusable <code>ls-R</code>	18
warning, about missing <code>texmf.cnf</code>	10
warnings, file access	10
warnings, suppressing	33
WEB2C	30
Weber, Olaf	2
WEBINPUTS	30
whitespace, in fontmap files	32
whitespace, not ignored on continuation lines	11
Windows and casefolding	15
www.tug.org	4

X

XDvi	25
XDVIFONTS	30
XDVIMAKEPK	36
XDVISIZES	33

Z

zuhn, david	2
-------------------	---